



FRONTIER 9.18
NP FORM
VER 3.0

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
Section: Admin Number of Occurrences: 99							
1	PON - Purchase Order Number	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
2	VER - Version Identification	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
3	AN - Account Number	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
4	ATN - Account Telephone Number	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
5	NPQTY - Number Portability Quantity		N	1-5		<p>1.If populated and dl > 5 characters, Return error FTRNP001 INVALID DATA LENGTH.</p> <p>2.If populated and dc ≠ t Numeric return error FTRNP002 INVALID DATA, MUST BE NUMERIC.</p> <p>3.If not populated and (occurrence of PORTED NBR > 1 or PORTED NBR has dl > 10), return error message FTRNP048 NPQTY REQUIRED.</p>	R
6	PG_of_ - Page _ of _	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
Section: Service Details Number of Occurrences: 99							
7	LOCNUM - Location Number		N	1-3		<p>1.If populated and dl > 3 characters return error FTRNP067 INVALID DATA LENGTH.</p> <p>2.If populated and dc ≠ numeric return error FTRNP055 INVALID DATA,</p>	R

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						MUST BE NUMERIC. 3. If not populated and ACT does not equal V, return error message FTRNP049 LOCNUM REQUIRED	
8	LNUM - Line Number		N	1-5		1.If populated and dl >5 characters, Return error FTRNP068 INVALID DATA LENGTH. 2.If populated and dc ≠ numeric return error FTRNP056 INVALID DATA, MUST BE NUMERIC. 3. If not populated and ACT does not equal V, return error message FTRNP050 LNUM REQUIRED	R
9	NPI - Number Portability Indicator		A	1-1	A= Port Out Reserved TN	1.Deleted Edit 2.Deleted Edit 3.If populated and vv ≠A return error FTRNP004. INVALID VALUE ONLY VALID VALUE A	O
10	LNA - Line Activity		A	1-1	C= Change an existing account, e.g., rearrangement , partial disconnect or addition D =Disconnection V= Conversion of service to new LSP	1. If populated and vv ≠ "C" or "D" and LSR. ADMIN. ACT= "C" return error FTRNP005 IF ACT FIELD ON THE LSR ADMIN FORM EQUALS "C" LNA MUST EQUAL "C" OR "D" 2. If populated and vv ≠ V and LSR.ADMIN. ACT = "V" and NPT = "D" return error FTRNP006-IF ACT ON THE LSR ADMIN FORM = "V" AND THE NPT FIELD = "D" LNA MUST BE POPULATED WITH "V". 3. If populated and vv ≠ D and LSR ADMIN ACT = "D" and the NPT = "B"	R

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>or "C" return error FTRNP007 IF ACT ON THE LSR ADMIN FORM = "D" AND THE NPT FIELD = "B" OR "C", LNA MUST BE POPULATED WITH "D".</p> <p>4.If populated and vv ≠ "D" and the LSR.ADMIN.ACT = "V" and NPT = "E" return error FTRNP008-IF ACT FIELD ON EQUALS "V" AND THE NPT FIELD EQUALS"E", LNA MUST BE POPULATED WITH "D"</p> <p>5.If populated and dl ≠ 1 character, return error FTRNP065 INVALID DATA LENGTH.</p> <p>6. If populated and vv ≠'C', 'D' or 'V' return error FTRNP009 INVALID DATA VALUE. THE ONLY VALID VALUES ARE 'C', 'D' OR 'V'</p> <p>7. If not populated and ACT does not equal V, return error FTRNP081 LNA IS REQUIRED</p>	
11	RL – Reuse Loop	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
12	CKR - Customer Circuit Reference	DO NOT MAP			-	FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
13	LRN - Location Routing Number		N	10-10		1.If populated and dl ≠ 10 return error FTRNP069 INVALID DATA LENGTH. 2.If populated and dc ≠ numeric return error FTRNP057 INVALID DATA CHARACTERISTIC. MUST BE NUMERIC	O
14	TDT - Ten Digit Trigger		A	1-1	Y=YES	1..If populated and vv ≠Y return error FTRNP011 INVALID VALUE CAN ONLY BE Y 2. If populated and NPT ≠ D return error message FTRNP079 TDT PROHIBITED	O
15	ECCKT - Exchange Company Circuit ID	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
16	OECCKT – Out Exchange Company Circuit ID	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
17	PORTED NBR - Ported Telephone Number		A/N	10-15		1.If populated and dl < 10 or > 15 characters return error FTRNP070 INVALID DATA LENGTH. 2.If populated and special characters ≠ one hyphen then return error FTRNP062 ONLY SPECIAL CHARACTER ALLOWED IS ONE HYPHEN 3. If not populated return error message FTRNP051 PORTED NBR IS A REQUIRED FIELD.	R
17A	SFG - Simulated Facilities Group (SFG)		A	1-1	Y=YES	1.If populated and dc ≠ alpha return error FTRNP054 INVALID SFG DATA CHARACTERISTIC. MUST BE ALPHA. 2.If populated and vv is ≠ Y return error FTRNP063 INVALID VALUE MUST BE Y	O
18	TNP - Total Number of Paths	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
19	CFTN - Call Forward To Number		A/N Special Character hyphen	10-13		<p>1. If not populated and LNA = "C" and NPT = "B", return error FTRNP013 CALL FORWARD TO NUMBER REQUIRED WHEN THE LNA FIELD IS "C" AND THE NPT FIELD IS "B"</p> <p>2.If populated and LNA field ≠"C" or the NPT field ≠"B" return error FTRNP014 CALL FORWARD TO NUMBER PROHIBITED WHEN THE LNA FIELD IS NOT "C" OR THE NPT FIELD IS NOT "B"</p> <p>3.If populated and dl < 10 or >13 characters return error FTRNP071 INVALID DATA LENGTH.</p> <p>4. If populated and specialcharacter ≠ hyphen return error FTRNP012 INVALID DATA CHARACTERISTIC. THE ONLY SPECIAL CHARACTER ALLOWED IS HYPHEN.</p>	O
20	NPT - Number Portability Type		A	1-1	Value Valid Entries B= RCF/*INP C= Route Index/*INPT D= Local Routing Number/*LNP	<p>1 If populated and vv is ≠ "B", "C", or "D" and LNA = "C" return error FTRNP064 INVALID VALUE. WHEN THE LNA FIELD "C" NPT MUST BE POPULATED WITH "B", "C", OR "D"</p> <p>2 If populated and vv ≠ D and LNA = "V" return error FTRNP016 INVALID</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
					E= Not Applicable	<p>DATA. IF LNA FIELD EQUALS "V" NPT MUST BE POPULATED WITH "D".</p> <p>3 If populated and vv ≠ "B" or "C" and LSR ADMIN ACT = "C" or "D" and the LNA = "D" return error FTRNP017 INVALID DATA. IF ACT FIELD ON LSR ADMIN FORM EQUALS "C" OR "D" AND THE LNA FIELD = "D", NPT MUST BE POPULATED WITH "B" OR "C".</p> <p>4 If populated and vv ≠ "E" and LSR ADMIN ACT = "V" and LNA = "D", return error FTRNP018 IF ACT FIELD ON THE LSR ADMIN FORM EQUALS "V" AND THE LNA FIELD = "D", NPT MUST BE POPULATED WITH "E".</p> <p>5. If populated and vv ≠ D, E or C or B return error FTRNP019 INVALID VALUE. MUST BE D, E OR C OR B</p> <p>6. If not populated, and ACT ≠ V and LNA is not D, return error message FTRNP052 NPT IS A REQUIRED FIELD.</p>	
21	RTI - Route Index	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
22	NPTG - Number Portability Trunk Group	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
23	LSCP - Local Service Provider Change Prohibited	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
24	BA - Blocking Activity		A	1-1	A =Add D =Delete N =No change Z =Remove all blocking	1. If populated and NPT= "D"return error message FTRNP020-BA PROHIBITED WHEN THE NPT FIELD EQUALS "D" 2.If populated and vv ≠ A or D or N or Z return error FTRNP021 INVALID DATA THE ONLY VALID VALUES A, D, N, OR Z.	O
25	BLOCK - Block		A	1-1	A =No collect and third party B= No third party C =No collect call	1 If not populated and BA = "A" or "D" return error FTRNP022 BLOCK REQUIRED WHEN THE BA FIELD EQUALS "A" OR "D". 2 If populated and BA ≠ "A" or "D" return error FTRNP023 BLOCK PROHIBITED WHEN THE BA FIELD DOES NOT EQUAL "A" OR "D" 3.If populated and vv ≠A B or C return error FTRNP024 ONLY VALID VALUE IS A, B OR C.	O
26	FPI - Freeze PIC Indicator	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
27	LPIC - IntraLATA Presubscription Indicator Code	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
28	TC OPT - Transfer of Call Options		A	1-1	N S T	<p>1.If not populated and LNA ="D", (same occurrence) return error FTRNP025 TC OPT REQUIRED FOR EACH NUMBER WHEN LNA ="D"</p> <p>2. If populated and LNA ≠"D",(same occurrence) return error FTRNP026 TC OPT PROHIBITED FOR EACH NUMBER WHEN LNA DOES NOT="D"</p> <p>3.If populated and vv ≠ N or S or T return error FTRNP027 INVALID DATA. THE ONLY VALID VALUES ARE N, S OR T</p>	O
TCTOPRIMARYSECTION							
29	TC TO PRI - Transfer of Calls To Primary Number		N	10-10		<p>1. If not populated and .TC OPT field ="S" or "T" return error message FTRNP028 - TRANSFER OF CALLS TO PRIMARY NUMBER REQUIRED WHEN THE TC OPT FIELD IS "S" OR "T"</p> <p>2.If populated and TC OPT field is not "S" or "T" return error message FTRNP029 TRANSFER OF CALLS TO PRIMARY NUMBER PROHIBITED WHEN THE TC</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>OPT FIELD IS NOT "S" OR "T"</p> <p>3.If populated and dl > 10 numeric characters, return error FTRNP072 INVALID DATA LENGTH.</p> <p>4. If populated and dc ≠ numeric return error FTRNP058 INVALID DATA MUST BE NUMERIC.</p>	
31	TCID - Transfer of Calls To Identifier		N	1-2		<p>1 If not populated and TC OPT = "T", return error message FTRNP032 TCID REQUIRED WHEN THE TC OPT EQUALS"T"</p> <p>2. If populated and the TC OPT ≠ "T" return error message FTRNP033 TCID PROHIBITED WHEN THE TC OPT DOES NOT EQUAL"T".</p> <p>3.If populated and dl > 2 numeric characters, return error FTRNP073 INVALID DATA LENGTH.</p> <p>4. If populated and dc ≠ numeric. return error FTRNP059 INVALID DATA, MUST BE NUMERIC.</p>	O
32	TC NAME - Transfer of Calls To Name		A/N Apostrophe, Hyphen, Comma, Space, Period	1-35	-	<p>1.If not populated and TC OPT = "T" return error message FTRNP034 TC NAME REQUIRED WHEN THE TC OPT EQUALS "T"</p> <p>2.If populated and TC OPT ≠"T", return</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>error message FTRNP035 TC NAME PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T".</p> <p>3 If populated and vv special characters ≠Apostrophe, Hyphen, Comma, Space, Period return error FTRNP036 INVALID DATA SPECIAL CHARACTERS ALLOWED ARE APOSTROPHE, HYPHEN, COMMA, SPACE, PERIOD.</p> <p>4 If populated and dl > 35 characters return error FTRNP074 INVALID DATA LENGTH.</p>	
TCTOSECONDARYSECTION							
30	TC TO SEC - Transfer of Calls To Secondary Number		N	10-10		<p>1.If not populated and TC OPT = "T" return error message FTRNP030 TRANSFER OF CALLS TO SECONDARY NUMBER REQUIRED WHEN THE TC OPT EQUALS "T"</p> <p>2. If populated and TC OPT ≠ "T", return error message FTRNP031TRANSFER OF CALLS TO SECONDARY NUMBER PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T".</p> <p>3.If populated and dl ≠ 10 characters, return error FTRNP075 INVALID DATA LENGTH.</p> <p>4 If populated and dc ≠ numeric return error FTRNP060 INVALID DATA MUST BE NUMERIC.</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
32A	TCID 2 - Transfer of Calls To Identifier 2		N	1-2		<p>1. If not populated and TC OPT = "T" return error message FTRNP037 TCID2 REQUIRED WHEN THE TC OPT EQUALS "T"</p> <p>2.If populated and TC OPT ≠ "T" return error message FTRNP038 TCID2 PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T"</p> <p>3. If populated and dl >2 characters return error FTRNP076 INVALID DATA LENGTH</p> <p>4 If populated and dc ≠ numeric return error FTRNP061 INVALID DATA, MUST BE NUMERIC</p>	O
32B	TCNAME 2 - Transfer of Calls To Name 2		A/N Apostrophe, Hyphen, Comma, Period Space.	1-35	-	<p>1 If not populated and TC OPT = "T", return error message FTRNP039 TRANSFER OF CALLS TO NAME 2 REQUIRED WHEN THE TC OPT EQUALS "T"</p> <p>2.If populated and TC OPT ≠ "T" return error message FTRNP040 TRANSFER OF CALLS TO NAME 2 PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T".</p> <p>3 If populated and data length >than 35 return error FTRNP077 INVALID DATA LENGTH.</p> <p>4.If populated and special characters ≠ Apostrophe, Hyphen, Comma, Period Space return error FTRNP080</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						INVALID DATA. THE ONLY SPECIAL CHARACTERS ALLOWED ARE APOSTROPHE, HYPHEN, COMMA, PERIOD, SPACE.	
33	TC PER - Transfer of Calls Period		N	8-8	Valid Entries Metric Format Two Digit Century (00-99) Two Digit Year (00-99) Two Digit Month (01-12) Two Digit Day (01-31)	1.If populated and TC TO PRI field is not populated return error FTRNP041TRANSFER OF CALLS PERIOD PROHIBITED WHEN THE TC TO PRI FIELD IS NOT POPULATED. 2 If populated and dc ≠ numeric return errorFTRNP053 TC PER MUST BE 8 NUMERIC CHARACTERS – ALPHAS OR SPECIAL CHARACTERS NOT ALLOWED. 3.If populated and dl ≠ 8 characters return error FTRNP078 INVALID DATA LENGTH. 4.If populated and characters 5 and 6 ≠ 01 to 12 return error FTRNP043 MONTH MAY ONLY BE.01-12 5. If populated and characters 7 and 8	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>≠ 01-31 return error FTRNP044 DAY CAN ONLY BE 01-31</p> <p>6. If populated and vv ≠ equal or > LSR. ADMIN. DDD return error FTRNP045 THIS DATE MUST BE GREATER OR EQUAL TO THE DDD ON THE LSR ADMIN DDD.</p>	
33A	TCMESS 1 - Transfer of Calls Message		A/N Ampersand, Apostrophe, Dollar Sign, Virgule, Hyphen, Number Sign, Parentheses, Comma, Quotation Marks, Space.	1-12	-	<p>1. If populated and LSR .ADMIN.ACT ≠ "V" and LNA ≠ "D", return error message FTRNP046 TRANSFER OF CALLS MESSAGE PROHIBITED WHEN THE ACT FIELD ON THE LSR FORM DOES NOT EQUAL "V" AND THE LNA FIELD DOES NOT EQUAL "D" .</p> <p>2. If populated and dc ≠ alpha, numeric Ampersand, Apostrophe, Dollar Sign, Virgule, Hyphen, Number Sign, Parentheses, Comma, Quotation Marks, Space return error FTRNP047 INVALID DATA, ONLY CHARACTERS ALLOWED ARE ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, DOLLAR SIGN, VIRGULE, HYPHEN, NUMBER SIGN, PARENTHESES, COMMA, QUOTATION MARKS, SPACE.</p> <p>3.If populated and dl - >12 characters return error FTRNP066 INVALID DATA LENGTH.</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
34	LEAN - Line Existing Account Number	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
35	LEATN - Line Existing Account Telephone Number	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	
36	REMARKS - Remarks	DO NOT MAP				FRONTIER DOES NOT SUPPORT THE USE OF THIS FIELD ON THIS FORM	

APPENDIX A: ERROR MESSAGES

Error Message Number	Error Message Text
FTRNP001	INVALID DATA LENGTH
FTRNP002	INVALID DATA, MUST BE NUMERIC
FTRNP004	INVALID VALUE ONLY VALID VALUE A
FTRNP005	IF ACT FIELD ON THE LSR ADMIN FORM EQUALS "C" LNA MUST EQUAL "C" OR " D"
FTRNP006	IF ACT ON THE LSR ADMIN FORM = "V" AND THE NPT FIELD = "D" LNA MUST BE POPULATED WITH "V".
FTRNP007	IF ACT ON THE LSR ADMIN FORM = "D" AND THE NPT FIELD = "B" OR "C", LNA MUST BE POPULATED WITH "D".
FTRNP008	IF ACT FIELD ON EQUALS "V" AND THE NPT FIELD EQUALS"E", LNA MUST BE POPULATED WITH "D"
FTRNP009	INVALID DATA VALUE. THE ONLY VALID VALUES ARE 'C', 'D' OR 'V'
FTRNP011	INVALID VALUE CAN ONLY BE Y
FTRNP012	INVALID DATA CHARACTERISTIC. THE ONLY SPECIAL CHARACTER ALLOWED IS HYPHEN
FTRNP013	CALL FORWARD TO NUMBER REQUIRED WHEN THE LNA FIELD IS "C" AND THE NPT FIELD IS "B",
FTRNP014	CALL FORWARD TO NUMBER PROHIBITED WHEN THE LNA FIELD IS NOT "C" AND THE NPT FIELD IS NOT "B",
FTRNP015	DELETED
FTRNP016	INVALID DATA. IF LNA FIELD EQUALS "V" NPT MUST BE POPULATED WITH "D".
FTRNP017	INVALID DATA. IF ACT FIELD ON LSR ADMIN FORM EQUALS "C" OR "D" AND THE LNA FIELD = "D", NPT MUST BE POPULATED WITH "B" OR "C".
FTRNP018	IF ACT FIELD ON THE LSR ADMIN FORM EQUALS"V" AND THE LNA FIELD = "D", NPT MUST BE POPULATED WITH "E".
FTRNP019	INVALID VALUE. MUST BE D, E OR C OR B
FTRNP020	BA PROHIBITED WHEN THE NPT FIELD EQUALS "D",
FTRNP021	INVALID DATA THE ONLY VALID VALUES A,D, N, OR Z.
FTRNP022	BLOCK REQUIRED WHEN THE BA FIELD EQUALS "A" OR "D".
FTRNP023	BLOCK PROHIBITED WHEN THE BA FIELD DOES NOT EQUAL "A" OR "D"
FTRNP024	ONLY VALID VALUE IS A, B OR C.
FTRNP025	TC OPT REQUIRED FOR EACH NUMBER WHEN LNA ="D",
FTRNP026	TC OPT PROHIBITED FOR EACH NUMBER WHEN LNA DOES NOT="D", .
FTRNP027	INVALID DATA. THE ONLY VALID VALUES ARE N, S OR T.
FTRNP028	TRANSFER OF CALLS TO PRIMARY NUMBER REQUIRED WHEN THE TC OPT FIELD IS "S" OR "T"
FTRNP029	TRANSFER OF CALLS TO PRIMARY NUMBER PROHIBITED WHEN THE TC OPT FIELD IS NOT "S" OR "T".

**FRONTIER BUSINESS RULES
LSOG 9.18
VERSION 3.0**

Number Portability Form

5/18/2010

Error Message Number	Error Message Text
FTRNP030	TRANSFER OF CALLS TO SECONDARY NUMBER REQUIRED WHEN THE TC OPT EQUALS "T"
FTRNP031	TRANSFER OF CALLS TO SECONDARY NUMBER PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T".
FTRNP032	TCID REQUIRED WHEN THE TC OPT EQUALS "T"
FTRNP033	TCID PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T".
FTRNP034	TC NAME REQUIRED WHEN THE TC OPT EQUALS "T"
FTRNP035	TC NAME PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T".
FTRNP036	INVALID DATA. SPECIAL CHARACTERS ALLOWED ARE APOSTROPHE, HYPHEN, COMMA, SPACE, PERIOD.
FTRNP037	TCID2 REQUIRED WHEN THE TC OPT EQUALS "T"
FTRNP038	TCID2 PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T"
FTRNP039	TRANSFER OF CALLS TO NAME 2 REQUIRED WHEN THE TC OPT EQUALS "T"
FTRNP040	TRANSFER OF CALLS TO NAME 2 PROHIBITED WHEN THE TC OPT DOES NOT EQUAL "T".
FTRNP041	TRANSFER OF CALLS PERIOD PROHIBITED WHEN THE TC TO PRI FIELD IS NOT POPULATED.
FTRNP042	DELETED
FTRNP043	MONTH MAY ONLY BE 01-12
FTRNP044	DAY CAN ONLY BE 01-31
FTRNP045	THIS DATE MUST BE GREATER OR EQUAL TO THE DDD ON THE LSR ADMIN DDD.
FTRNP046	TRANSFER OF CALLS MESSAGE PROHIBITED WHEN THE ACT FIELD ON THE LSR FORM DOES NOT EQUAL "V" AND THE LNA FIELD DOES NOT EQUAL "D",
FTRNP047	INVALID DATA, ONLY CHARACTERS ALLOWED ARE AMPERSAND, APOSTROPHE, DOLLAR SIGN, VIRGULE, HYPHEN, NUMBER SIGN, PARENTHESES, COMMA, QUOTATION MARKS, SPACE.
FTRNP048	NPQTY REQUIRED
FTRNP049	LOCNUM REQUIRED
FTRNP050	LNUM REQUIRED
FTRNP051	PORTED NBR IS A REQUIRED FIELD.
FTRNP052	NPT IS A REQUIRED FIELD.
FTRNP053	TC PER MUST BE 8 NUMERIC CHARACTERS- ALPHAS OR SPECIAL CHARACTERS NOT ALLOWED.
FTRNP054	INVALID SFG DATA CHARACTERISTIC. MUST BE ALPHA.
FTRNP055	INVALID DATA, MUST BE NUMERIC
FTRNP056	INVALID DATA, MUST BE NUMERIC
FTRNP057	INVALID DATA CHARACTERISTIC. MUST BE NUMERIC
FTRNP058	INVALID DATA, MUST BE NUMERIC.
FTRNP059	INVALID DATA, MUST BE NUMERIC.

Error Message Number	Error Message Text
FTRNP060	INVALID DATA, MUST BE NUMERIC.
FTRNP061	INVALID DATA, MUST BE NUMERIC
FTRNP062	ONLY SPECIAL CHARACTER ALLOWED IS ONE HYPHEN
FTRNP063	INVALID VALUE MUST BE Y
FTRNP064	INVALID VALUE. WHEN THE LNA FIELD "C" NPT MUST BE POPULATED WITH "B", "C", OR "D"
FTRNP065	INVALID DATA LENGTH.
FTRNP066	INVALID DATA LENGTH
FTRNP067	INVALID DATA LENGTH
FTRNP068	INVALID DATA LENGTH
FTRNP069	INVALID DATA LENGTH
FTRNP070	INVALID DATA LENGTH
FTRNP071	INVALID DATA LENGTH
FTRNP072	INVALID DATA LENGTH
FTRNP073	INVALID DATA LENGTH
FTRNP074	INVALID DATA LENGTH
FTRNP075	INVALID DATA LENGTH
FTRNP076	INVALID DATA LENGTH
FTRNP077	INVALID DATA LENGTH
FTRNP078	INVALID DATA LENGTH
FTRNP079	TDT PROHIBITED
FTRNP080	INVALID DATA SPECIAL CHARACTERS ALLOWED ARE APOSTROPHE, HYPHEN, COMMA, SPACE, PERIOD.
FTRNP081	LNA IS REQUIRED
FTRNP082	
FTRNP083	
FTRNP084	
FTRNP085	

APPENDIX B: CHANGE LOG

DATE	FIELD	RELEASE	CHANGE
	LOCNUM		Changed From - 3. If not populated return error message FTRNP049 LOCNUM REQUIRED Changed To - 3. If not populated and ACT does not equal V, return error message FTRNP049 LOCNUM REQUIRED
	LNUM		Changed From - 3. If not populated return error message FTRNP050 LNUM REQUIRED Changed To - 3. If not populated and ACT does not equal V, return error message FTRNP050 LNUM REQUIRED
	LNA		Changed From - 7. If not populated return error FTRNP081 LNA IS REQUIRED Changed To - 7. If not populated and ACT does not equal V, return error FTRNP081 LNA IS REQUIRED
	NPQTY		Changed From - 3.If not populated return error message FTRNP048 NPQTY REQUIRED Changed To - 3.If not populated and (occurrence of PORTED NBR > 1 or PORTED NBR has dl > 10), return error message FTRNP048 NPQTY REQUIRED