



FRONTIER 9.18
PS FORM
VER 1.0

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
Section: ADMINISTRATIVE - Number of Occurrences: 0,1							
001	PON - Purchase Order Number	Do Not Map				NOT SUPPORTED BY FTR	
002	VER - Version Identification	Do Not Map				NOT SUPPORTED BY FTR	
003	AN - Account Number	Do Not Map				NOT SUPPORTED BY FTR	
004	ATN - Account Telephone Number	Do Not Map				NOT SUPPORTED BY FTR	
005	PQTY - Port Quantity		N	1-5		1. If not populated, then return error: FTRPS001 PQTY IS REQUIRED 2. If populated and (dl > 5 or dc ≠ numeric), then return error: FTRPS002 PQTY VALID VALUE = 1-5 NUMERIC 3. If populated and vv ≠ 1 and ((SDP = C, E, F, G) or (LNA = C and SDP = D)), then return error: FTRPS003 PQTY VALID VALUE MUST EQUAL 1	R
006	ORD - Order Number	Do Not Map				NOT SUPPORTED BY FTR	
007	PG_of_ - Page_of_	Do Not Map				NOT SUPPORTED BY FTR	
Section: SERVICE DETAIL - Number of Occurrences: 0,1999							
008	LOCNUM - Location Number		N	1-3		1. If not populated, then return error: FTRPS004 LOCNUM IS REQUIRED 2. If populated and (dl > 3 or dc ≠ numeric), then return error: FTRPS005 LOCNUM VALID VALUE = 1-3 NUMERIC	R
009	LNUM - Line Number		N	1-5		1. If not populated, then return error: FTRPS006 LNUM IS REQUIRED	R

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						2. If populated and (dl > 5 or dc ≠ numeric), then return error: FTRPS007 LNUM VALID VALUE = 1-5 NUMERIC	
010	NPI - Number Portability Indicator		A	1-1	C, E, F	<p>1. If not populated and LSR.NPDI = B, D, then return error: FTRPS008 NPI IS REQUIRED</p> <p>2. If populated and LSR.NPDI ≠ B, D, then return error: FTRPS009 NPI IS PROHIBITED</p> <p>3. If populated and vv ≠ C, F and LSR.NPDI = D, then return error: FTRPS010 NPI VALID VALUE = C, F WHEN NPDI = D</p> <p>4. If populated and vv ≠ E, F and LSR.NPDI = B, then return error: FTRPS011 NPI VALID VALUE = E, F WHEN NPDI = B</p>	O
011	LNA - Line Activity		A	1-1	B, C, D, N, P, S, T, V, W, X, Z	<p>1. If populated and vv = C and ((FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, IWJK, FA are all not populated) and (SDP ≠ D)), then return error: FTRPS012 WHEN LNA IS C AT LEAST ONE OF THE FIELDS FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, IWJK, FA MUST BE POPULATED OR SDP = D</p> <p>2. If populated and vv ≠ N and position 1 of LSR.REQTYP = D and LSR.ACT = T, then return error: FTRPS013 LNA VALID VALUE = N WHEN ACT = T</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>3. If populated and vv ≠ N and position 1 of LSR.REQTYP = D and LSR.ACT = C and any occurrence of SDP = A, then return error: FTRPS014 LNA VALID VALUE = N WHEN ACT = C AND SDP = A</p> <p>4. If populated and all occurrences of vv ≠ V and position 1 of LSR.REQTYP = D and LSR.ACT = V and position 2 of LTOS = P, then return error: FTRPS015 ALL OCCURRENCES OF LNA MUST = V FOR ACT/LTOS COMBINATION</p> <p>5. If populated and vv ≠ N, V, W, D and position 1 of LSR.REQTYP = D and LSR.ACT = V and position 2 of LTOS = D, L, 1, 2, 3, 4, 5, 6, then return error: FTRPS016 LNA VALID VALUE = N, V, W, D</p> <p>6. If populated and vv ≠ C, N, D, P, T, X, Z and position 1 of LSR.REQTYP = D and LSR.ACT = C and position 2 of LSR.TOS ≠ Y, then return error: FTRPS017 LNA VALID VALUE = C, N, D, P, T, X, Z</p> <p>7. If populated and vv ≠ W and position 1 of LSR.REQTYP = D and LSR.ACT = W and position 2 of LSR.TOS ≠ Y, then return error: FTRPS018 LNA VALID VALUE = W WHEN ACT = W</p> <p>8. If populated and vv ≠ B and position 1</p>	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>of LSR.REQTYP = D, F and LSR.ACT = B and position 2 of LSR.TOS ≠ Y, then return error: FTRPS019 LNA VALID VALUE = B WHEN ACT = B</p> <p>9. If populated and vv ≠ S and position 1 of LSR.REQTYP = D, F and LSR.ACT = S and position 2 of LSR.TOS ≠ Y, then return error: FTRPS020 LNA VALID VALUE = S WHEN ACT = S</p> <p>10. If populated and vv ≠ D and LSR.ACT = D and position 2 of LSR.TOS ≠ Y, then return error: FTRPS021 LNA VALID VALUE = D WHEN ACT = D</p> <p>11. If populated and vv ≠ N and LSR.ACT = N and position 2 of LSR.TOS ≠ Y, then return error: FTRPS022 LNA VALID VALUE = N WHEN ACT = N</p> <p>12. If populated and one occurrence of vv = T and any other occurrences of vv ≠ T, D and LSR.ACT = C, then return error: FTRPS023 LNA VALID VALUE = T, N WHEN ONE OCCURRENCE = T AND ACT = C</p> <p>13. If populated and vv ≠ V and LSR.ACT = V and RL is populated, then return error: FTRPS024 LNA VALID VALUE = V WHEN ACT = V</p>	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>14. If populated and vv = T and LSR.ACT = B, D, N, S, T, V, W, then return error: FTRPS025 LNA VALID VALUE = T IS PROHIBITED FOR ACTIVITY</p> <p>15. If populated and vv = Z and (LSR.ACT ≠ C or LSR.AC ≠ A), then return error: FTRPS026 LNA VALID VALUE = Z ONLY WHEN ACT = C AND AC = A</p> <p>16. If populated and position 2 of LSR.TOS = Y, then return error: FTRPS027 LNA IS PROHIBITED</p> <p>17. If not populated and position 2 of LSR.TOS ≠ Y, then return error: FTRPS028 LNA IS REQUIRED</p> <p>18. If populated and vv ≠ B, C, D, N, P, S, T, V, W, X, Z, then return error: FTRPS029 LNA VALID VALUE = B, C, D, N, P, S, T, V, W, X, Z</p> <p>19. If populated and vv ≠ C, N, D, P, X and position 1 of LSR.REQTYP = F and LSR.ACT = C and position 2 LSR.TOS ≠ Y, then return error: FTRPS184 LNA VALID VALUE = C, N, D, P, X</p> <p>20. If populated and vv ≠ N, V, D and position 1 of LSR.REQTYP = F and LSR.ACT = V and position 2 of LSR.TOS ≠ Y, then return error:</p>	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>FTRPS185 LNA VALID VALUE = N, V, D</p> <p>21. If populated and vv ≠ N, C, D and position 1 of LSR.REQTYP = M and LSR.ACT = C, then return error: FTRPS186 LNA VALID VALUE = N, C, D</p> <p>22. If populated and vv ≠ N, V, D and position 1 of LSR.REQTYP = M and LSR.ACT = V, then return error: FTRPS187 LNA VALID VALUE = N, V, D</p>	
012	NOTYP - Number Type	Do Not Map				NOT SUPPORTED BY FTR	
013	LTOS - Line Type of Service		A/N Hyphen	4-4	<p>1st character = hyphen (-)</p> <p>2nd character = D, L, P, 1, 2, 3, 4, 5, 6, 7</p> <p>3rd character = hyphen (-)</p> <p>4th character = R, hyphen (-)</p>	<p>1. If populated and position 2 of vv ≠ P and SDP = A, B, then return error: FTRPS030 LTOS POSITION 2 VALID VALUE = P WHEN SDP = A, B</p> <p>2. If populated and position 2 of vv ≠ D, P, L, 1 and position 1 of LSR.TOS = 2, then return error: FTRPS031 LTOS POSITION 2 VALID VALUE = D, P, L, 1 WHEN POSITION 1 OF TOS = 2</p> <p>3. If populated and position 2 of vv ≠ L and SDP = C, D, E, F, G,, M then return error: FTRPS032 LTOS POSITION 2 VALID VALUE = L WHEN SDP = C, D, E, F, G, M</p> <p>4. If not populated and position 2 of LSR.TOS ≠ C, T, then return error:</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>FTRPS033 LTOS IS REQUIRED</p> <p>5. If populated and position 2 of LSR.TOS = C, T, then return error: FTRPS034 LTOS IS PROHIBITED</p> <p>6. If populated and vv ≠ -1-R or -D-R and position 4 of LSR.TOS = R, then return error: FTRPS035 LTOS VALID VALUE = -1-R OR -D-R WHEN POSITION 4 OF TOS = R</p> <p>7. If populated and position 1 of vv ≠ hyphen (-), then return error: FTRPS036 LTOS POSITION 1 VALID VALUE = HYPHEN</p> <p>8. If populated and position 2 of vv ≠ D, L, P, 1, 2, 3, 4, 5, 6, 7, then return error: FTRPS037 LTOS POSITION 2 VALID VALUE = D, L, P, 1, 2, 3, 4, 5, 6, 7</p> <p>9. f populated and position 3 of vv ≠ hyphen, then return error: FTRPS038 LTOS POSITION 3 VALID VALUE = HYPHEN</p> <p>10. If populated and position 4 of vv ≠ R, hyphen, then return error: FTRPS039 LTOS POSITION 4 VALID VALUE = R, HYPHEN</p> <p>11. If populated and dl ≠ 4, then return error: FTRPS040 LTOS VALID LENGTH = 4</p>	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
014	SOE - Service or Equipment Indicator	Do Not Map				NOT SUPPORTED BY FTR	
015	TNI - Telephone Number Indicator	Do Not Map				NOT SUPPORTED BY FTR	
016	TNS - Telephone Numbers		A/N Hyphen	1, 10, 15	A, N, NNNNNNNNNN, NNNNNNNNNN- NNNN	<p>1. If populated and vv = A and SDP = D, then return error: FTRPS041 TNS VALID VALUE = A IS PROHIBITED WHEN SDP = D</p> <p>2. If populated and vv = N and ((LNA ≠ C, N, X) or (position 2 of LSR.TOS ≠ D, E, J and position 4 of LSR.TOS ≠ F, R, W)), then return error: FTRPS042 TNS VALID VALUE = N IS PROHIBITED</p> <p>3. If vv ≠ A and LSR.ACT = W, then return error: FTRPS043 TNS VALID VALUE = A WHEN ACT = W</p> <p>4. If populated and vv = A and LSR.ACT ≠ D, W, then return error: FTRPS044 TNS VALID VALUE = A WHEN ACT = D, W</p> <p>5. If not populated and position 2 of LSR.TOS ≠ Y, then return error: FTRPS045 TNS IS REQUIRED</p> <p>6. If populated and position 2 of LSR.TOS = Y, then return error: FTRPS046 TNS IS PROHIBITED</p> <p>7. If populated and dl = 1 and vv ≠ A, N, then return error: FTRPS047 TNS VALID VALUE = A, N WHEN LENGTH</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>= 1</p> <p>8. If populated and dl = 10, 15 and valid format ≠ XXXXXXXXXXXX, XXXXXXXXXXXX-XXXX, then return error: FTRPS048 TNS VALID FORMAT = XXXXXXXXXXXX, XXXXXXXXXXXX-XXXX</p> <p>9. If populated and dl ≠ 1, 10, 15, then return error: FTRPS049 TNS VALID LENGTH = 1, 10, 15</p> <p>10. If vv = A and any other occurrence of PS.TNS = A, then return error: FTRPS196 ONLY ONE TNS VALUE OF A IS ALLOWED</p>	
017	TERS - Terminal Numbers		A/N Hyphen, Space, Comma, Semicolon	1-10		<p>1. If populated and (dl > 10 or dc ≠ alpha, numeric, hyphen, space, comma, semicolon), then return error: FTRPS050 TERS VALID VALUE = 10 ALPHA, NUMERIC, HYPHEN, SPACE, COMMA, SEMICOLON</p>	O
018	S - Suspend Activity Indicator		A	1-1	A, B, C	<p>1. If vv ≠ B, C and LNA = S and EU.LOC.STATE = NY, then return error: FTRPS051 SUSPEND ACTIVITY VALID VALUE = B, C WHEN STATE = NY</p> <p>2. If vv ≠ A, C and LNA = S and EU.LOC.STATE = DE, PA, then return error: FTRPS052 SUSPEND ACTIVITY VALID VALUE = A, C WHEN STATE = DE, PA</p> <p>3. If not populated and LNA = S, then return error: FTRPS053 SUSPEND</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						ACTIVITY IS REQUIRED 4. If populated and LNA ≠ S, then return error: FTRPS054 SUSPEND ACTIVITY IS PROHIBITED 5. If populated and vv ≠ A, B, C, then return error: FTRPS055 SUSPEND ACTIVITY VALID VALUE = A, B, C 6. If populated and vv = A, B and EU.LOC.STATE = MA, RI, NJ, MD, DC, VA & WV then return error FTRPS197 ONE WAY SUSPENDS ARE NOT ALLOWED WHEN STATE = MA, RI, NJ, MD, DC, VA, WV	
019	OTNI - Out Telephone Number Indicator	Do Not Map				NOT SUPPORTED BY FTR	
020	OTN - Out Telephone Number		N	10-10		1. If not populated and LNA = X, then return error: FTRPS056 OTN IS REQUIRED 2. If populated and LNA ≠ C, X, then return error: FTRPS057 OTN IS PROHIBITED 3. If populated and LNA ≠ X and SDP = C, D, E, F, G, then return error: FTRPS058 OTN IS PROHIBITED 4. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRPS059 OTN VALID VALUE = 10 NUMERIC	O
020a	EXKEY - Exchange Key	Frontier Specific Field	A/N	1-6		1. If not populated and NPI = C, E, F, then return error: FTRPS060 EXKEY IS	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						REQUIRED 2. If populated and dl > 6, then return error: FTRPS061 EXKEY VALID LENGTH = 1-6	
021	FPI - Freeze PIC Indicator		A	1-1	A, B, E, R, S, T	1. If populated and vv = R, S, T and ((LNA = N, T) or (LNA = V and RL is populated)), then return error: FTRPS062 FPI VALID VALUE = R, S, T IS PROHIBITED 2. If populated and (LNA = B, D, S, X or position 2 of LSR.TOS = Y), then return error: FTRPS063 FPI IS PROHIBITED 3. If populated and SDP = C, D, E, F, G, then return error: FTRPS064 FPI IS PROHIBITED 4. If populated and vv ≠ A, B, E, R, S, T, then return error: FTRPS065 FPI VALID VALUE = A, B, E, R, S, T	O
022	PIC - InterLATA Presubscription Indicator Code		A/N	2-4	Valid PIC Code NONE NC	1. If populated and vv = NC and LNA = N, T, V, then return error: FTRPS066 PIC VALID VALUE = NC IS PROHIBITED 2. If not populated and (LSR.ACT = W or LNA = N, P, T, V), then return error: FTRPS067 PIC IS REQUIRED 3. If populated and (LNA = B, D, S, X or position 2 of LSR.TOS = Y), then return error: FTRPS068 PIC IS PROHIBITED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>4. If populated and SDP = C, D, E, F, G, then return error: FTRPS069 PIC IS PROHIBITED</p> <p>5. If populated and vv ≠ NONE, NC and ((dl < 2 or > 4) or (dc ≠ numeric)), then return error: FTRPS070 PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC</p>	
023	LPIC - IntraLATA Pre-subscription Indicator Code		A/N	2-4	Valid PIC Code NONE NC	<p>1. If populated and vv = NC and LNA = N, T, V, then return error: FTRPS071 LPIC VALID VALUE = NC IS PROHIBITED</p> <p>2. If not populated and (LSR.ACT = W or LNA = N, P, T, V), then return error: FTRPS072 LPIC IS REQUIRED</p> <p>3. If populated and (LNA = B, D, S, X or position 2 of LSR.TOS = Y), then return error: FTRPS073 LPIC IS PROHIBITED</p> <p>4. If populated and SDP = C, D, E, F, G, then return error: FTRPS074 LPIC IS PROHIBITED</p> <p>5. If populated and vv ≠ NONE, NC and ((dl < 2 or > 4) or (dc ≠ numeric)), then return error: FTRPS075 LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC</p>	O
024	IPIC - International Pre-subscription Indicator Code	Do Not Map				NOT SUPPORTED BY FTR	
025	TSP - Telecommunications Service Priority		A/N Hyphen	12-12	Format = XXXXXXXXXX-XX	1. If populated and position 1 of LSR.TOS = 2, then return error: FTRPS076 TSP IS PROHIBITED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
					(Note - X = alpha/numeric)	<p>2. If populated and LNA = P, X, then return error: FTRPS077 TSP IS PROHIBITED</p> <p>3. If populated and valid format ≠ XXXXXXXXXX-XX, then return error: FTRPS078 TSP VALID FORMAT = XXXXXXXXXX-XX</p> <p>4. If populated and position 11 ≠ E, 0, 1, 2, 3, 4, 5, then return error: FTRPS181 TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5</p> <p>5. If populated and position 12 ≠ 0, 1, 2, 3, 4, 5, then return error: FTRPS182 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5</p>	
026	SAN - Subscriber Authorization Number		A/N Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Period, Quotation Marks, Space	1-30		1. If populated and (dl > 30 or dc ≠ alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, period, quotation marks, space), then return error: FTRPS079 SAN VALID VALUE = 1-30 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS, SPACE	O
027	CKR - Customer Circuit Reference		A/N Ampersand, Apostrophe,	1-41		1. If populated and (dl > 41 or dc ≠ alpha, numeric, ampersand, apostrophe, asterisk, parentheses, colon, comma,	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			Asterisk, Parentheses, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period			dollar sign, hyphen, number sign, percent, plus sign, quote, semicolon, space, period), then return error: FTRPS080 CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESES, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD	
028	LEAN - Line Existing Account Number	Do Not Map				NOT SUPPORTED BY FTR	
029	LEATN - Line Existing Account Telephone Number	Do Not Map				NOT SUPPORTED BY FTR	
030	ECCKT - Exchange Company Circuit ID		A/N Virgules	1-41		1. If not populated and LSR.ACT = C, D and position 2 of LSR.TOS = Y, then return error: FTRPS081 ECCKT IS REQUIRED 2. If populated and (dl > 41 or dc ≠ alpha, numeric, virgule), then return error: FTRPS082 ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE	O
031	RL - Reuse Loop		A	1-1	Y = Yes	1. If not populated and position 1 of LSR.REQTYP = D and LNA = V and OECKT is populated, then return error: FTRPS083 RL IS REQUIRED 2. If populated and ((position 1 of LSR.REQTYP ≠ D) or (LNA ≠ V) or (OECKT is not populated)), then return	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						error: FTRPS084 RL IS PROHIBITED 3. If populated and vv ≠ Y, then return error: FTRPS085 RL VALID VALUE = Y	
031a	RECCKT - Related Exchange Company Circuit	Frontier Specific Field	A/N	1-41		No mapping rules	O
031b	VPID ~ Virtual Path Indicator	Frontier Specific Field	A	1-2		No mapping rules	O
031c	VPI ~ Virtual Path Identifier	Frontier Specific Field	N	1-4		No mapping rules	O
031d	VCI ~ Virtual Circuit Identifier	Frontier Specific Field	N	1-5		No mapping rules	O
031e	VPID2 ~ Virtual Path Indicator 2	Frontier Specific Field	A	1-2		No mapping rules	O
031f	VPI2 ~ Virtual Path Identifier 2	Frontier Specific Field	N	1-4		No mapping rules	O
031g	VCI2 ~ Virtual Circuit Identifier 2	Frontier Specific Field	N	1-5		No mapping rules	O
031h	UDSPEED ~ Upstream and Downstream Speed	Frontier Specific Field	A/N	1-15		No mapping rules	O
031i	CBCID ~ Cross Box Cable Identification	Frontier Specific Field	A/N	1-10		No mapping rules	O
031j	CBP1 ~ Cross Box Pair 1	Frontier Specific Field	N	1-4		No mapping rules	O
032	OECCKT – Out Exchange Company Circuit ID		A/N Virgules	1-41		1. If not populated and RL is populated, then return error: FTRPS086 OECCKT IS REQUIRED 2. If populated and RL is not populated, then return error: FTRPS087 OECCKT IS PROHIBITED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. If populated and (dl > 41 or dc ≠ alpha, numeric, virgule), then return error: FTRPS088 OECKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE	
033	TC OPT - Transfer of Call Options		A	1-1	N, S, T	<p>1. If not populated and LNA = D, X, then return error: FTRPS089 TC OPT IS REQUIRED</p> <p>2. If populated and LNA ≠ C, S, D, X, then return error: FTRPS090 TC OPT IS PROHIBITED</p> <p>3. If populated and EU.LOC.STATE = DE, PA and S ≠ A, then return error: FTRPS091 TC OPT IS PROHIBITED</p> <p>4. If populated and EU.LOC.STATE = NY and S = B, then return error: FTRPS092 TC OPT IS PROHIBITED</p> <p>5. If populated and vv ≠ N, S, T, then return error: FTRPS093 TC OPT VALID VALUE = N, S, T</p>	O
SECTION: TC TO PRI – Number Of Occurrences = 1							
034	TC TO PRI - Transfer of Calls To Primary Number		N	10-10		<p>1. If not populated and TC OPT = S, T, then return error: FTRPS094 TC TO PRI IS REQUIRED</p> <p>2. If populated and TC OPT ≠ S, T, then return error: FTRPS095 TC TO PRI IS PROHIBITED</p> <p>3. If populated and (dl ≠ 10 or dc ≠</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						numeric), then return error: FTRPS096 TC TO PRI VALID VALUE = 10 NUMERIC	
036	TCID - Transfer of Calls To Identifier		N	1-2		<p>1. If not populated and TC OPT = T, then return error: FTRPS097 TCID IS REQUIRED</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRPS098 TCID IS PROHIBITED</p> <p>3. If populated and vv ≠ 1, then return error: FTRPS099 TCID VALID VALUE FOR INITIAL OCCURRENCE = 1</p>	O
037	TC NAME - Transfer of Calls To Name		A/N Apostrophe, Comma, Hyphen, Period, Space	1-35		<p>1. If not populated and TC OPT = T, then return error: FTRPS100 TC NAME IS REQUIRED</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRPS101 TC NAME IS PROHIBITED</p> <p>3. If populated and (dl > 35 or dc ≠ alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: FTRPS102 TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE</p>	O
SECTION: TC TO SEC – Number Of Occurrences =							
035	TC TO SEC - Transfer of Calls To Secondary Number		N	10-10		1. If not populated and TC OPT = T, then return error: FTRPS103 TC TO SEC IS REQUIRED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>2. If populated and TC OPT ≠ T, then return error: FTRPS104 TC TO SEC IS PROHIBITED</p> <p>3. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRPS105 TC TO SEC VALID VALUE = 10 NUMERIC</p>	
037a	TCID 2 - Transfer of Calls To Identifier 2	Frontier Specific Field	N	1-2		<p>1. If not populated and TC OPT = T, then return error: FTRPS106 TCID 2 IS REQUIRED</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRPS107 TCID 2 IS PROHIBITED</p> <p>3. If populated and (dl > 2 or dc ≠ numeric), then return error: FTRPS108 TCID 2 VALID VALUE = 1-2 NUMERIC</p> <p>4. If populated and all occurrences of data are not sequential, then return error: FTRPS183 TCID 2 MUST BE SEQUENTIAL</p>	O
037b	TCNAME 2 - Transfer of Calls To Name 2	Frontier Specific Field	A/N Apostrophe, Comma, Hyphen, Period, Space	1-35		<p>1. If not populated and TC OPT = T, then return error: FTRPS109 TCNAME 2 IS REQUIRED</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRPS110 TCNAME 2 IS PROHIBITED</p> <p>3. If populated and (dl > 35 or dc ≠ alpha, numeric, apostrophe, comma, hyphen, period, space), then return</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						error: FTRPS111 TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	
038	TC PER - Transfer of Calls Period		N	8-8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	<p>1. If populated and vv <, = LSR.DDD, then return error: FTRPS112 TC PER MUST BE GREATER THAN DESIRED DUE DATE</p> <p>2. If populated and TC TO PRI is not populated, then return error: FTRPS113 TC PER IS PROHIBITED</p> <p>2. If populated and valid format ≠ CCYYMMDD, then return error: FTRPS114 TC PER VALID FORMAT = CCYYMMDD</p>	O
038a	SDP - Shared Data Provider	Frontier Specific Field	A	1-1	A, B, C, D, E, F, G, M	<p>1. If populated and vv = C, E, F, G and LNA = N, T, V, W, then return error: FTRPS115 SDP VALID VALUE C, E, F, G IS PROHIBITED</p> <p>2. If vv ≠ D and LNA = D and position 2 of LTOS = L, then return error: FTRPS116 SDP VALID VALUE = D</p> <p>3. If not populated and position 1 of LSR.REQTYP = D and LNA = N, V and the position 2 of LTOS = P, then return error: FTRPS117 SDP IS REQUIRED</p> <p>4. If populated and ((LNA = B, P, S, X) or (LNA = C and OTN is populated)), then return error: FTRPS118 SDP IS PROHIBITED</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>5. If populated and IWJK is populated, then return error: FTRPS119 SDP IS PROHIBITED</p> <p>6. If populated and position 1 of LSR.REQTYP = D and (LNA ≠ C, D, N, V and position 2 of LTOS ≠ L, P), then return error: FTRPS120 SDP IS PROHIBITED</p> <p>7. If populated and vv ≠ A, B, C, D, E, F, G, M, then return error: FTRPS121 SDP VALID VALUE = A, B, C, D, E, F, G, M</p> <p>8. If populated and LNA ≠ V and vv = M, then return error: FTRPS195 SDP VALUE OF M IS ONLY VALID WHEN LNA = V</p>	
038b	LOOPQUAL - Loop Qualification Status	Frontier Specific Field	A	1-1	C = Completed R = Required	<p>1. If populated and vv = R and SDP = C, E, F, then return error: FTRPS122 LOOPQUAL VALID VALUE = R IS PROHIBITED</p> <p>2. If not populated and ((SDP = A and position 2 of LTOS = P) or (SDP = E)), then return error: FTRPS123 LOOPQUAL IS REQUIRED</p> <p>3. If populated and (SDP ≠ A, C, E, F and position 2 of LTOS ≠ P), then return error: FTRPS124 LOOPQUAL IS PROHIBITED</p> <p>4. If populated and vv ≠ C, R, then</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						return error: FTRPS125 LOOPQUAL VALID VALUE = C, R	
038c	ISR - Installation Service Requested	Frontier Specific Field	A/N	1-30	A, B, C, D, E, F, H, J	<p>1. If populated and vv does not contain A when vv contains B, C, D, E, F, H, J, then return error: FTRPS126 ISR MUST CONTAIN A WHEN B, C, D, E, F, H, J IS PRESENT</p> <p>2. If populated and vv contains more than one occurrence of A, C, E, F, H, J, then return error: FTRPS127 ISR VALID VALUE = A, C, E, F, H, J CAN ONLY OCCUR ONCE</p> <p>3. If populated and ((LNA ≠ N, V) or (position 2 of LTOS ≠ P) or (SDP ≠ A)), then return error: FTRPS128 ISR IS PROHIBITED</p> <p>4. If populated and (dl > 30 or vv does not contain A, B, C, D, E, F, H, J), then return error: FTRPS129 ISR VALID VALUE = 1-30 A, B, C, D, E, F, H, J</p>	O
039	JK CODE - Jack Code	Do Not Map				NOT SUPPORTED BY FTR	
040	JK NUM - Jack Number	Do Not Map				NOT SUPPORTED BY FTR	
041	JK POS - Jack Position	Do Not Map				NOT SUPPORTED BY FTR	
042	JR - Jack Request	Do Not Map				NOT SUPPORTED BY FTR	
043	NIDR - NID Request	Do Not Map				NOT SUPPORTED BY FTR	
044	IWJK - Inside Wire Jack Code		A/N	1-5		1. If populated and position 1 of LSR.REQTYP = D and LNA ≠ N, T, V, C, then return error: FTRPS130 IWJK IS PROHIBITED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						2. If populated and dl > 5, then return error: FTRPS131 IWJK VALID LENGTH = 1-5	
045	IWJQ - Inside Wire Jack Quantity		N	2-2	01-99	<p>1. If not populated and IWJK is populated, then return error: FTRPS132 IWJQ IS REQUIRED</p> <p>2. If populated and IWJK is not populated, then return error: FTRPS133 IWJQ IS PROHIBITED</p> <p>3. If populated and (dl > 2 or dc ≠ numeric), then return error: FTRPS134 IWJQ VALID VALUE = 2 NUMERIC</p>	O
046	IWT - Inside Wire Type	Do Not Map				NOT SUPPORTED BY FTR	
047	SYSTEM ID - System Identification		A/N	1-5		<p>1. If populated and (dl > 5 or dc ≠ alpha, numeric), then return error: FTRPS135 SYSTEM ID VALID VALUE = 1-5 ALPHA, NUMERIC</p> <p>2. If not populated and position 1 of LSR.REQTYP = F, M and LNA = N, V and EU.STATE = DC, DE, MD, NJ, PA, WV, VA, then return error: FTRPS188 SYSTEM ID IS REQUIRED FOR STATE</p> <p>3. If populated and EU.STATE = DC, DE, MD, NJ, PA, WV, VA and format ≠ AAANN, then return error: FTRPS189 SYSTEM ID VALID FORMAT = AAANN FOR STATE</p>	O
048	CABLE ID - Cable Identification		A/N Ampersand, Apostrophe,	1-5		1. If populated and EU.STATE = CT, MA, ME, NH, NY, RI, VT and (dl > 5 or dc ≠ alpha, numeric, ampersand,	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Period, Quotation Marks, Space, Percent Sign, Plus Sign, Semicolon, Virgule, At Sign			<p>apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, period, quotation marks, space, percent sign, plus sign, semicolon, virgule, at sign), then return error: FTRPS136 CABLE ID VALID VALUE = 1-5 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS, SPACE, PERCENT SIGN, PLUS SIGN, SEMICOLON, VIRGULE, AT SIGN</p> <p>2. If not populated and position 1 of LSR.REQTYP = F, M and LNA = N, V and EU.STATE = CT, MA, ME, NH, NY, RI, VT, then return error: FTRPS190 CABLE ID IS REQUIRED FOR STATE</p> <p>3. If populated and EU.STATE = DC, DE, MD, NJ, PA, WV, VA and format ≠ AAANN, then return error: FTRPS191 CABLE ID VALID FORMAT = AAANN FOR STATE</p>	
049	SHELF - Shelf		N	2-2		<p>1. If not populated and LNA = N, V and position 2 of LTOS = P and SDP = A, then return error: FTRPS137 SHELF IS REQUIRED</p> <p>2. If populated and (dl ≠ 2 or dc ≠ numeric), then return error: FTRPS138 SHELF VALID VALUE = 2 NUMERIC</p> <p>3. If not populated and position 1 of</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						LSR.REQTYP = F, M and LNA = N, V and EU.STATE = DC, DE, MD, NJ, PA, WV, VA, then return error: FTRPS192 SHELF IS REQUIRED FOR STATE	
050	SLOT - Slot		A/N	1-4		1. If not populated and LNA = N, V and position 2 of LTOS = P and SDP = A, then return error: FTRPS139 SLOT IS REQUIRED 2. If populated and (dl > 4 or dc ≠ alpha, numeric), then return error: FTRPS140 SLOT VALID VALUE = 1-4 ALPHA, NUMERIC	O
051	SPORT - Slot Port	Do Not Map				NOT SUPPORTED BY FTR	
052	RELAY RACK - Relay Rack		A/N	1-10		1. If not populated and LNA = N, V and position 2 of LTOS = P and SDP = A, then return error: FTRPS141 RELAY RACK IS REQUIRED 2. If populated and (dl > 10 or dc ≠ alpha, numeric), then return error: FTRPS142 RELAY RACK VALID VALUE = 1-10 ALPHA, NUMERIC	O
053	CHAN/PAIR - Channel/Pair		A/N Hyphen, Period, Space	1-5		1. If populated and (dl > 5 or dc ≠ alpha, numeric, hyphen, period, space), then return error: FTRPS143 CHAN/PAIR VALID VALUE = 1-5 ALPHA, NUMERIC, HYPHEN, PERIOD, SPACE 2. If not populated and position 1 of LSR.REQTYP = F, M and LNA = N, V, then return error: FTRPS193 CHAN/PAIR IS REQUIRED FOR LNA	O
054	UNIT - Unit	Do Not Map				NOT SUPPORTED BY FTR	
055	CFA - Connecting		A/N	1-42		1. If not populated and LSR.ACT = C, N	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Facility Assignment		Hyphen, Period, Space			<p>and position 2 of the LSR.TOS = Y, then return error: FTRPS144 CFA IS REQUIRED</p> <p>2. If populated and (LSR.ACT ≠ C, N or position 2 of the LSR.TOS ≠ Y), then return error: FTRPS145 CFA IS PROHIBITED</p> <p>3. If populated and (dl > 42 or dc ≠ alpha, numeric, hyphen, period, space), then return error: FTRPS146 CFA VALID VALUE = 1-42 ALPHA, NUMERIC, HYPHEN, PERIOD, SPACE</p>	
056	CCEA - Cross Connect Equipment Assignment	Do Not Map				NOT SUPPORTED BY FTR	
057	SGNL - Signaling	Do Not Map				NOT SUPPORTED BY FTR	
058	SSIG - Start Signaling		A	2-2	GS, LS, WS, DD, IM	<p>1. If populated and vv ≠ LS and LTOS = -P--, then return error: FTRPS147 SSIG VALID VALUE = LS</p> <p>2. If populated and LSR.ACT = B, D, S, W, then return error: FTRPS148 SSIG IS PROHIBITED</p> <p>3. If populated and vv ≠ GS, LS, WS, DD, IM, then return error: FTRPS149 SSIG VALID VALUE = GS, LS, WS, DD, IM</p> <p>4. If populated and vv = GS and position 1 of LSR.REQTYP = D, then return error: FTRPS194 SSIG VALID VALUE = GS IS PROHIBITED FOR REQ TYP</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
059	PULSE - Type of Pulsing	Do Not Map				NOT SUPPORTED BY FTR	
060	LSCP - Local Service Provider Change Prohibited		A	1-1	A, B	<p>1. If populated and vv = B and LNA ≠ C, then return error: FTRPS150 LSCP VALID VALUE = B IS PROHIBITED WHEN LNA IS NOT C</p> <p>2. If populated and EU.LOC.STATE ≠ PA, NJ, then return error: FTRPS151 LSCP IS ONLY VALID FOR PA AND NJ</p> <p>3. If populated and SDP = C, D, E, F, G, then return error: FTRPS152 LSCP IS PROHIBITED</p> <p>4. If populated and LNA = D, S, B, X, P, then return error: FTRPS153 LSCP IS PROHIBITED</p> <p>5. If populated and vv ≠ A, B, then return error: FTRPS154 LSCP VALID VALUE = A, B</p>	O
061	BA - Blocking Activity		A	1-1	A, D, N, E	<p>1. If vv ≠ A and LNA = N, T, then return error: FTRPS155 BA VALID VALUE = A</p> <p>2. If vv ≠ E and LNA = V and RL is populated, then return error: FTRPS156 BA VALID VALUE = E</p> <p>3. If not populated and (LSR.ACT = W or LNA = N, T, V), then return error: FTRPS157 BA IS REQUIRED</p> <p>4. If populated and SDP = C, D, E, F, G, then return error: FTRPS158 BA IS</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						PROHIBITED 5. If populated and LSR.ACT ≠ W, S, B and LNA ≠ N, T, V, C, then return error: FTRPS159 BA IS PROHIBITED 6. If populated and vv ≠ A, D, N, E, then return error: FTRPS160 BA VALID VALUE = A, D, N, E	
062	BLOCK - Block		A/N	1-16		1. If not populated and BA = A, D, E, then return error: FTRPS161 BLOCK IS REQUIRED 2. If populated and BA ≠ A, D, E, then return error: FTRPS162 BLOCK IS PROHIBITED 3. If populated and (dl > 16 or dc ≠ alpha, numeric), then return error: FTRPS163 BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC	O
063	CC-ACT - Calling Card Activity	Do Not Map				NOT SUPPORTED BY FTR	
064	CC-NO - Calling Card Number	Do Not Map				NOT SUPPORTED BY FTR	
065	CCT - Calling Card Type	Do Not Map				NOT SUPPORTED BY FTR	
066	FLI - Foreign Language Indicator	Do Not Map				NOT SUPPORTED BY FTR	
067	DI – Disability Indicator	Do Not Map				NOT SUPPORTED BY FTR	
068	CCDD - Calling Card Disconnect Date	Do Not Map				NOT SUPPORTED BY FTR	
069	CNAM - Calling Name	Do Not Map				NOT SUPPORTED BY FTR	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
069a	ODP - Office Dialing Plan	Frontier Specific Field	N	1-1	1, 2	<p>1. If populated and LNA = D, P, S, X, then return error: FTRPS164 ODP IS PROHIBITED FOR LNA</p> <p>2. If populated and EU.LOC.STATE = PA, NJ, DE, MD, DC, VA, WV, then return error: FTRPS165 ODP IS PROHIBITED FOR STATE</p> <p>3. If populated and vv ≠ 1, 2, then return error: FTRPS166 ODP VALID VALUE = 1, 2</p>	O
070	BSPRAO - Billing Service Provider Revenue Accounting Office Type	Do Not Map				NOT SUPPORTED BY FTR	
071	FA - Feature Activity		A	1-1	N, C, D, V	<p>1. If populated and vv ≠ N, C, D and LSR.ACT = C and LSR.AC = B, C, D, E, then return error: FTRPS167 FA VALID VALUE = N, C, D</p> <p>2. If populated and vv ≠ N, C, D and LNA = C, then return error: FTRPS168 FA VALID VALUE = N, C, D WHEN LNA = C</p> <p>3. If populated and vv ≠ N and ((LNA = N, T) or (LNA = V and RL is populated)), then return error: FTRPS169 FA VALID VALUE = N</p> <p>4. If populated and vv ≠ N, V and LNA = V, then return error: FTRPS170 FA VALID VALUE = N, V WHEN LNA = V</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>5. If populated and (LSR.ACT = W, S or LNA = B, D, P, W), then return error: FTRPS171 FA IS PROHIBITED</p> <p>6. If populated and vv ≠ N, C, D, V, then return error: FTRPS172 FA VALID VALUE = N, C, D, V</p>	
072	FEATURE - Feature Codes		A/N	1-6		<p>1. If populated and FA is not populated, then return error: FTRPS173 FEATURE IS PROHIBITED</p> <p>2. If not populated and FA is populated, then return error: FTRPS174 FEATURE IS REQUIRED</p> <p>3. If populated and (dl > 6 or dc ≠ alpha, numeric), then return error: FTRPS175 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC</p>	O
072a	FEATQTY - Feature Quantity	Frontier Specific Field	N	1-3	2-100	<p>1. If populated and (SDP ≠ E, F, G or FEATURE is not populated), then return error: FTRPS176 FEATQTY IS PROHIBITED</p> <p>2. If populated and (dl > 3 or dc ≠ numeric), then return error: FTRPS177 FEATQTY VALID VALUE = 1-3 NUMERIC</p>	O
073	FEATURE DETAIL - Feature Detail		A/N Special Characters allowed: Ampersand, Apostrophe, Asterisk,	1-200		<p>1. If not populated and FA = C, then return error: FTRPS178 FEATURE DETAIL IS REQUIRED</p> <p>2. If populated and FA ≠ C, N, V, then return error: FTRPS179 FEATURE DETAIL IS PROHIBITED</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule			3. If populated and (dl > 200 or dc ≠ alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon, space, virgule, then return error: FTRPS180 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE	
074	REMARKS - Remarks	Do Not Map				NOT SUPPORTED BY FTR	

APPENDIX A: ERROR MESSAGE TABLE

Error Message Number	Error Message Text
FTRPS001	PQTY IS REQUIRED
FTRPS002	PQTY VALID VALUE = 1-5 NUMERIC
FTRPS003	PQTY VALID VALUE MUST EQUAL 1
FTRPS004	LOCNUM IS REQUIRED
FTRPS005	LOCNUM VALID VALUE = 1-3 NUMERIC
FTRPS006	LNUM IS REQUIRED
FTRPS007	LNUM VALID VALUE = 1-5 NUMERIC
FTRPS008	NPI IS REQUIRED
FTRPS009	NPI IS PROHIBITED
FTRPS010	NPI VALID VALUE = C, F WHEN NPDI = D
FTRPS011	NPI VALID VALUE = E, F WHEN NPDI = B
FTRPS012	WHEN LNA IS C AT LEAST ONE OF THE FIELDS FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, IWJK, FA MUST BE POPULATED OR SDP = D
FTRPS013	LNA VALID VALUE = N WHEN ACT = T
FTRPS014	LNA VALID VALUE = N WHEN ACT = C AND SDP = A
FTRPS015	ALL OCCURRENCES OF LNA MUST = V FOR ACT/LTOS COMBINATION
FTRPS016	LNA VALID VALUE = N, V, W, D
FTRPS017	LNA VALID VALUE = C, N, D, P, T, X, Z
FTRPS018	LNA VALID VALUE = W WHEN ACT = W
FTRPS019	LNA VALID VALUE = B WHEN ACT = B
FTRPS020	LNA VALID VALUE = S WHEN ACT = S
FTRPS021	LNA VALID VALUE = D WHEN ACT = D
FTRPS022	LNA VALID VALUE = N WHEN ACT = N
FTRPS023	LNA VALID VALUE = T, N WHEN ONE OCCURRENCE = T AND ACT = C
FTRPS024	LNA VALID VALUE = V WHEN ACT = V
FTRPS025	LNA VALID VALUE = T IS PROHIBITED FOR ACTIVITY
FTRPS026	LNA VALID VALUE = Z ONLY WHEN ACT = C AND AC = A
FTRPS027	LNA IS PROHIBITED
FTRPS028	LNA IS REQUIRED
FTRPS029	LNA VALID VALUE = B, C, D, N, P, S, T, V, W, X, Z
FTRPS030	LTOS POSITION 2 VALID VALUE = P WHEN SDP = A, B
FTRPS031	LTOS POSITION 2 VALID VALUE = D, P, L, 1 WHEN POSITION 1 OF TOS = 2
FTRPS032	LTOS POSITION 2 VALID VALUE = L WHEN SDP = C, D, E, F, G, M

Error Message Number	Error Message Text
FTRPS033	LTOS IS REQUIRED
FTRPS034	LTOS IS PROHIBITED
FTRPS035	LTOS VALID VALUE = -1-R OR -D-R WHEN POSITION 4 OF TOS = R
FTRPS036	LTOS POSITION 1 VALID VALUE = HYPHEN
FTRPS037	LTOS POSITION 2 VALID VALUE = D, L, P, 1, 2, 3, 4, 5, 6, 7
FTRPS038	LTOS POSITION 3 VALID VALUE = HYPHEN
FTRPS039	LTOS POSITION 4 VALID VALUE = R, HYPHEN
FTRPS040	LTOS VALID LENGTH = 4
FTRPS041	TNS VALID VALUE = A IS PROHIBITED WHEN SDP = D
FTRPS042	TNS VALID VALUE = N IS PROHIBITED
FTRPS043	TNS VALID VALUE = A WHEN ACT = W
FTRPS044	TNS VALID VALUE = A WHEN ACT = D, W
FTRPS045	TNS IS REQUIRED
FTRPS046	TNS IS PROHIBITED
FTRPS047	TNS VALID VALUE = A, N WHEN LENGTH = 1
FTRPS048	TNS VALID FORMAT = XXXXXXXXXXX, XXXXXXXXXXX-XXXX
FTRPS049	TNS VALID LENGTH = 1, 10, 15
FTRPS050	TERS VALID VALUE = 10 ALPHA, NUMERIC, HYPHEN, SPACE, COMMA, SEMICOLON
FTRPS051	SUSPEND ACTIVITY VALID VALUE = B, C WHEN STATE = NY
FTRPS052	SUSPEND ACTIVITY VALID VALUE = A, C WHEN STATE = DE, PA
FTRPS053	SUSPEND ACTIVITY IS REQUIRED
FTRPS054	SUSPEND ACTIVITY IS PROHIBITED
FTRPS055	SUSPEND ACTIVITY VALID VALUE = A, B, C
FTRPS056	OTN IS REQUIRED
FTRPS057	OTN IS PROHIBITED
FTRPS058	OTN IS PROHIBITED
FTRPS059	OTN VALID VALUE = 10 NUMERIC
FTRPS060	EXKEY IS REQUIRED
FTRPS061	EXKEY VALID LENGTH = 1-6
FTRPS062	FPI VALID VALUE = R, S, T IS PROHIBITED
FTRPS063	FPI IS PROHIBITED
FTRPS064	FPI IS PROHIBITED
FTRPS065	FPI VALID VALUE = A, B, E, R, S, T
FTRPS066	PIC VALID VALUE = NC IS PROHIBITED

Error Message Number	Error Message Text
FTRPS067	PIC IS REQUIRED
FTRPS068	PIC IS PROHIBITED
FTRPS069	PIC IS PROHIBITED
FTRPS070	PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
FTRPS071	LPIC VALID VALUE = NC IS PROHIBITED
FTRPS072	LPIC IS REQUIRED
FTRPS073	LPIC IS PROHIBITED
FTRPS074	LPIC IS PROHIBITED
FTRPS075	LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
FTRPS076	TSP IS PROHIBITED
FTRPS077	TSP IS PROHIBITED
FTRPS078	TSP VALID FORMAT = XXXXXXXXX-XX
FTRPS079	SAN VALID VALUE = 1-30 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS, SPACE
FTRPS080	CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESES, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD
FTRPS081	ECCKT IS REQUIRED
FTRPS082	ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE
FTRPS083	RL IS REQUIRED
FTRPS084	RL IS PROHIBITED
FTRPS085	RL VALID VALUE = Y
FTRPS086	OECCKT IS REQUIRED
FTRPS087	OECCKT IS PROHIBITED
FTRPS088	OECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE
FTRPS089	TC OPT IS REQUIRED
FTRPS090	TC OPT IS PROHIBITED
FTRPS091	TC OPT IS PROHIBITED
FTRPS092	TC OPT IS PROHIBITED
FTRPS093	TC OPT VALID VALUE = N, S, T
FTRPS094	TC TO PRI IS REQUIRED
FTRPS095	TC TO PRI IS PROHIBITED
FTRPS096	TC TO PRI VALID VALUE = 10 NUMERIC
FTRPS097	TCID IS REQUIRED

Error Message Number	Error Message Text
FTRPS098	TCID IS PROHIBITED
FTRPS099	TCID VALID VALUE FOR INITIAL OCCURRENCE = 1
FTRPS100	TC NAME IS REQUIRED
FTRPS101	TC NAME IS PROHIBITED
FTRPS102	TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
FTRPS103	TC TO SEC IS REQUIRED
FTRPS104	TC TO SEC IS PROHIBITED
FTRPS105	TC TO SEC VALID VALUE = 10 NUMERIC
FTRPS106	TCID 2 IS REQUIRED
FTRPS107	TCID 2 IS PROHIBITED
FTRPS108	TCID 2 VALID VALUE = 1-2 NUMERIC
FTRPS109	TCNAME 2 IS REQUIRED
FTRPS110	TCNAME 2 IS PROHIBITED
FTRPS111	TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
FTRPS112	TC PER MUST BE GREATER THAN DESIRED DUE DATE
FTRPS113	TC PER IS PROHIBITED
FTRPS114	TC PER VALID FORMAT = CCYYMMDD
FTRPS115	SDP VALID VALUE C, E, F, G IS PROHIBITED
FTRPS116	SDP VALID VALUE = D
FTRPS117	SDP IS REQUIRED
FTRPS118	SDP IS PROHIBITED
FTRPS119	SDP IS PROHIBITED
FTRPS120	SDP IS PROHIBITED
FTRPS121	SDP VALID VALUE = A, B, C, D, E, F, G, M
FTRPS122	LOOPQUAL VALID VALUE = R IS PROHIBITED
FTRPS123	LOOPQUAL IS REQUIRED
FTRPS124	LOOPQUAL IS PROHIBITED
FTRPS125	LOOPQUAL VALID VALUE = C, R
FTRPS126	ISR MUST CONTAIN A WHEN B, C, D, E, F, H, J IS PRESENT
FTRPS127	ISR VALID VALUE = A, C, E, F, H, J CAN ONLY OCCUR ONCE
FTRPS128	ISR IS PROHIBITED
FTRPS129	ISR VALID VALUE = 1-30 A, B, C, D, E, F, H, J
FTRPS130	IWJK IS PROHIBITED

Error Message Number	Error Message Text
FTRPS131	IWJK VALID LENGTH = 1-5
FTRPS132	IWJQ IS REQUIRED
FTRPS133	IWJQ IS PROHIBITED
FTRPS134	IWJQ VALID VALUE = 2 NUMERIC
FTRPS135	SYSTEM ID VALID VALUE = 1-5 ALPHA, NUMERIC
FTRPS136	CABLE ID VALID VALUE = 1-5 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS, SPACE, PERCENT SIGN, PLUS SIGN, SEMICOLON, VIRGULE, AT SIGN
FTRPS137	SHELF IS REQUIRED
FTRPS138	SHELF VALID VALUE = 2 NUMERIC
FTRPS139	SLOT IS REQUIRED
FTRPS140	SLOT VALID VALUE = 1-4 ALPHA, NUMERIC
FTRPS141	RELAY RACK IS REQUIRED
FTRPS142	RELAY RACK VALID VALUE = 1-10 ALPHA, NUMERIC
FTRPS143	CHAN/PAIR VALID VALUE = 1-5 ALPHA, NUMERIC, HYPHEN, PERIOD, SPACE
FTRPS144	CFA IS REQUIRED
FTRPS145	CFA IS PROHIBITED
FTRPS146	CFA VALID VALUE = 1-42 ALPHA, NUMERIC, HYPHEN, PERIOD, SPACE
FTRPS147	SSIG VALID VALUE = LS
FTRPS148	SSIG IS PROHIBITED
FTRPS149	SSIG VALID VALUE = GS, LS, WS, DD, IM
FTRPS150	LSCP VALID VALUE = B IS PROHIBITED WHEN LNA IS NOT C
FTRPS151	LSCP IS ONLY VALID FOR PA AND NJ
FTRPS152	LSCP IS PROHIBITED
FTRPS153	LSCP IS PROHIBITED
FTRPS154	LSCP VALID VALUE = A, B
FTRPS155	BA VALID VALUE = A
FTRPS156	BA VALID VALUE = E
FTRPS157	BA IS REQUIRED
FTRPS158	BA IS PROHIBITED
FTRPS159	BA IS PROHIBITED
FTRPS160	BA VALID VALUE = A, D, N, E
FTRPS161	BLOCK IS REQUIRED
FTRPS162	BLOCK IS PROHIBITED
FTRPS163	BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC

Error Message Number	Error Message Text
FTRPS164	ODP IS PROHIBITED FOR LNA
FTRPS165	ODP IS PROHIBITED FOR STATE
FTRPS166	ODP VALID VALUE = 1, 2
FTRPS167	FA VALID VALUE = N, C, D
FTRPS168	FA VALID VALUE = N, C, D WHEN LNA = C
FTRPS169	FA VALID VALUE = N
FTRPS170	FA VALID VALUE = N, V WHEN LNA = V
FTRPS171	FA IS PROHIBITED
FTRPS172	FA VALID VALUE = N, C, D, V
FTRPS173	FEATURE IS PROHIBITED
FTRPS174	FEATURE IS REQUIRED
FTRPS175	FEATURE VALID VALUE 1-6 ALPHA, NUMERIC
FTRPS176	FEATQTY IS PROHIBITED
FTRPS177	FEATQTY VALID VALUE = 1-3 NUMERIC
FTRPS178	FEATURE DETAIL IS REQUIRED
FTRPS179	FEATURE DETAIL IS PROHIBITED
FTRPS180	FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE
FTRPS181	TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5
FTRPS182	TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5
FTRPS183	TCID 2 MUST BE SEQUENTIAL
FTRPS184	LNA VALID VALUE = C, N, D, P, X
FTRPS185	LNA VALID VALUE = N, V, D
FTRPS186	LNA VALID VALUE = N, C, D
FTRPS187	LNA VALID VALUE = N, V, D
FTRPS188	SYSTEM ID IS REQUIRED FOR STATE
FTRPS189	SYSTEM ID VALID FORMAT = AAANN FOR STATE
FTRPS190	CABLE ID IS REQUIRED FOR STATE
FTRPS191	CABLE ID VALID FORMAT = AAANN FOR STATE
FTRPS192	SHELF IS REQUIRED FOR STATE
FTRPS193	CHAN/PAIR IS REQUIRED FOR LNA
FTRPS194	SSIG VALID VALUE = GS IS PROHIBITED FOR REQTYP
FTRPS195	SDP VALUE OF M IS ONLY VALID WHEN LNA = V
FTRPS196	ONLY ONE TNS VALUE OF A IS ALLOWED

Error Message Number	Error Message Text
FTRPS197	ONE WAY SUSPENDS ARE NOT ALLOWED WHEN STATE = MA, RI, NJ, MD, DC, VA, WV
FTRPS198	
FTRPS199	
FTRPS200	

