



FRONTIER 9.18
RS FORM
VER 1.0

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
Section: ADMINISTRATIVE - Number of Occurrences: 0,1							
001	PON - Purchase Order Number	Do Not Map				NOT SUPPORTED BY FTR	
002	VER - Version Identification	Do Not Map				NOT SUPPORTED BY FTR	
003	AN - Account Number	Do Not Map				NOT SUPPORTED BY FTR	
004	ATN - Account Telephone Number	Do Not Map				NOT SUPPORTED BY FTR	
005	RSQTY - Resale Quantity		N	1-5		1. If not populated, then return error: FTRRS001 RSQTY IS REQUIRED 2. If populated and (dl > 5 or dc ≠ numeric), then return error: FTRRS002 RSQTY VALID VALUE = 1-5 NUMERIC	R
006	ORD - Order Number	Do Not Map				NOT SUPPORTED BY FTR	
007	PG_of_ - Page_of_	Do Not Map				NOT SUPPORTED BY FTR	
Section: SERVICE DETAIL - Number of Occurrences: 0,1999							
008	LOCNUM - Location Number		N	1-3		1. If not populated, then return error: FTRRS003 LOCNUM IS REQUIRED 2. If populated and (dl > 3 or dc ≠ numeric), then return error: FTRRS004 LOCNUM VALID VALUE = 1-3 NUMERIC	R
009	LNUM - Line Number		N	1-5		1. If not populated, then return error: FTRRS005 LNUM IS REQUIRED 2. If populated and (dl > 5 or dc ≠ numeric), then return error: FTRRS006 LNUM VALID VALUE = 1-5 NUMERIC	R
010	NPI - Number		A	1-1	C, E, F	1. If populated and vv ≠ C, F and	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Portability Indicator					<p>LSR.NPDI = D, then return error: FTRRS007 NPI VALID VALUE = C, F WHEN NPDI = D</p> <p>2. If populated and vv ≠ E, F and LSR.NPDI = B, then return error: FTRRS008 NPI VALID VALUE = E, F WHEN NPDI = B</p> <p>3. If not populated and LSR.NPDI = B, D, then return error: FTRRS009 NPI IS REQUIRED</p> <p>4. If populated and LSR.NPDI ≠ B, D, then return error: FTRRS010 NPI IS PROHIBITED</p>	
011	LNA - Line Activity		A	1-1	B, C, D, N, P, S, T, V, W, X, Y, Z	<p>1. If not populated, then return error: FTRRS011 LNA IS REQUIRED</p> <p>2. If populated and vv = C and FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, FA are all not populated, then return error: FTRRS012 WHEN LNA IS C AT LEAST ONE OF THE FIELDS FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, IWJK, FA MUST BE POPULATED</p> <p>3. If vv ≠ B, Y and LSR.ACT = B, then return error: FTRRS013 LNA VALID VALUE = B, Y WHEN ACT = B</p> <p>4. If populated and vv ≠ C, N, D, P, T, X, Z and LSR.ACT = C, then return error: FTRRS014 LNA VALID VALUE = C, N, D, P, T, X, Z WHEN ACT = C</p>	R

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>5. If populated and vv ≠ C, X and LSR.ACT = C and LSR.AC = B, C, then return error: FTRRS015 LNA VALID VALUE = C, X WHEN ACT = C AND AC = B, C</p> <p>6. If vv ≠ N and LSR.ACT = N, T, then return error: FTRRS016 LNA VALID VALUE = N WHEN ACT = N, T</p> <p>7. If vv ≠ S and LSR.ACT = S, then return error: FTRRS017 LNA VALID VALUE = S WHEN ACT = S</p> <p>8. If vv ≠ N, V, W, D and LSR.ACT = V, then return error: FTRRS018 LNA VALID VALUE = N, V, W, D WHEN ACT = V</p> <p>9. If vv ≠ W and LSR.ACT = W, then return error: FTRRS019 LNA VALID VALUE = W WHEN ACT = W</p> <p>10. If vv ≠ Y and LSR.ACT = Y, then return error: FTRRS020 LNA VALID VALUE = Y WHEN ACT = Y</p> <p>11. If populated and vv = T and LSR.ACT = B, N, S, T, V, W, Y, then return error: FTRRS021 LNA VALID VALUE = T IS PROHIBITED FOR ACTIVITY</p> <p>12. If populated and vv ≠ Z and</p>	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>LSR.ACT = C and LSR.AC = A, then return error: FTRRS022 LNA VALID VALUE = Z WHEN ACT = C AND AC = A</p> <p>13. If populated and vv = Z and (LSR.ACT ≠ C or LSR.AC ≠ A), then return error: FTRRS023 LNA VALID VALUE = Z IS PROHIBITED</p> <p>14. If populated and vv ≠ B, C, D, N, P, S, T, V, W, X, Y, Z, then return error: FTRRS024 LNA VALID VALUE = B, C, D, N, P, S, T, V, W, X, Y, Z</p>	
012	LTOS - Line Type of Service	Do Not Map				NOT SUPPORTED BY FTR	
013	SOE - Service or Equipment Indicator	Do Not Map				NOT SUPPORTED BY FTR	
014	NOTYP - Number Type	Do Not Map				NOT SUPPORTED BY FTR	
015	TNS - Telephone Numbers		A/N Hyphen	1, 10, 15	A, N, NNNNNNNNNN, NNNNNNNNNN-NNNN	<p>1. If populated and vv = A and LNA ≠ B, C, P, S, W and S ≠ A, B, then return error: FTRRS025 TNS VALID VALUE = A IS PROHIBITED</p> <p>2. If populated and vv = N and ((LNA ≠ C, N, X) and (position 2 of LSR.TOS ≠ D, E, J or position 4 of LSR.TOS ≠ F, R, W)), then return error: FTRRS026 TNS VALID VALUE = N IS PROHIBITED</p> <p>3. If populated and dl = 1 and vv ≠ A, N, then return error: FTRRS027 TNS VALID VALUE = A, N WHEN LENGTH = 1</p>	R

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>4. If populated and dl = 10, 15 and valid format ≠ XXXXXXXXXXXX, XXXXXXXXXXXX-XXXX, then return error: FTRRS028 TNS VALID FORMAT = XXXXXXXXXXXX, XXXXXXXXXXXX-XXXX</p> <p>5. If populated and dl ≠ 1, 10, 15, then return error: FTRRS029 TNS VALID LENGTH = 1, 10, 15</p> <p>6. If not populated, then return error: FTRRS125 TNS IS REQUIRED</p>	
016	S - Suspend Activity Indicator		A	1-1	A, B, C	<p>1. If vv ≠ B, C and LSR.ACT = Y and LNA = Y and EU.LOC.STATE = NY, then return error: FTRRS030 SUSPEND ACTIVITY VALID VALUE = B, C WHEN STATE = NY</p> <p>2. If vv ≠ A, C and LSR.ACT = Y and LNA = Y and EU.LOC.STATE = DE, PA, then return error: FTRRS031 SUSPEND ACTIVITY VALID VALUE = A, C WHEN STATE = DE, PA</p> <p>3. If not populated and LSR.ACT = Y and LNA = Y, then return error: FTRRS032 SUSPEND ACTIVITY IS REQUIRED</p> <p>4. If populated and (LSR.ACT ≠ Y or LNA ≠ Y), then return error: FTRRS033 SUSPEND ACTIVITY IS PROHIBITED</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>5. If populated and vv ≠ A, B, C, then return error: FTRRS034 SUSPEND ACTIVITY VALID VALUE = A, B, C</p> <p>6. If populated and vv = A, B and EU.LOC.STATE = MA, RI, NJ, MD, DC, VA & WV then return error FTRRS126 ONE WAY SUSPENDS ARE NOT ALLOWED FOR THE STATES MA, RI, NJ, MD, DC, VA AND WV</p>	
017	SPLD - State Primary Line Designator	Do Not Map				NOT SUPPORTED BY FTR	
018	TERS - Terminal Numbers		A/N Hyphen, Space, Comma, Semicolon	1-10		<p>1. If populated and vv = N, then return error: FTRRS035 TERS = N IS PROHIBITED</p> <p>2. If populated and (dl > 10 or dc ≠ alpha, numeric, hyphen, space, comma, semicolon), then return error: FTRRS036 TERS VALID VALUE = 1-10 ALPHA, NUMERIC, HYPHEN, SPACE, COMMA, SEMICOLON</p>	O
019	OTN - Out Telephone Number		N	10-10		<p>1. If not populated and LNA = X, then return error: FTRRS037 OTN IS REQUIRED</p> <p>2. If populated and LNA ≠ X, C, then return error: FTRRS038 OTN IS PROHIBITED</p> <p>3. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRRS039 OTN VALID VALUE = 10 NUMERIC</p>	O
019a	EXKEY - Exchange Key	Frontier Specific Field	A/N	1-6		1. If populated and dl > 6, then return error: FTRRS040 EXKEY VALID	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						LENGTH = 1-6	
020	TSP - Telecommunications Service Priority		A/N Hyphen	12-12	Format = XXXXXXXXXX-XX (Note - X = alpha/numeric)	<p>1. If populated and position 1 of LSR.TOS = 2, then return error: FTRRS041 TSP IS PROHIBITED</p> <p>2. If populated and LNA = P, X, then return error: FTRRS042 TSP IS PROHIBITED WHEN LNA = P, X</p> <p>3. If populated and valid format ≠ XXXXXXXXXX-XX, then return error: FTRRS043 TSP VALID FORMAT = XXXXXXXXXX-XX</p> <p>4. If populated and position 11 ≠ E, 0, 1, 2, 3, 4, 5, then return error: FTRRS120 TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5</p> <p>5. If populated and position 12 ≠ 0, 1, 2, 3, 4, 5, then return error: FTRRS121 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5</p>	O
021	SAN - Subscriber Authorization Number		A/N Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Period, Quotation	1-30		<p>1. If populated and (dl > 30 or dc ≠ alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, period, quotation marks, space), then return error: FTRRS044 SAN VALID VALUE = 1-30 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS,</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			Marks, Space			SPACE	
022	CKR - Customer Circuit Reference	Do Not Map				NOT SUPPORTED BY FTR	
023	ECCKT - Exchange Company Circuit ID		A/N Virgules	1-41		<p>1. If populated and LNA = P, X, then return error: FTRRS045 ECCKT IS PROHIBITED</p> <p>2. If populated and (dl > 41 or dc ≠ alpha, numeric, virgule), then return error: FTRRS046 ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE</p>	O
024	RL - Reuse Loop		A	1-1	Y = Yes	<p>1. If not populated and LNA = V and OECCKT is populated, then return error: FTRRS047 RL IS REQUIRED</p> <p>2. If populated and LNA ≠ V, then return error: FTRRS048 RL IS PROHIBITED</p> <p>3. If populated and vv ≠ Y, then return error: FTRRS049 RL VALID VALUE = Y</p>	O
025	OECCKT - Out Exchange Company Circuit ID		A/N Virgules	1-41		<p>1. If not populated and RL is populated, then return error: FTRRS050 OECCKT IS REQUIRED</p> <p>2. If populated and RL is not populated, then return error: FTRRS051 OECCKT IS PROHIBITED</p> <p>3. If populated and (dl > 41 or dc ≠ alpha, numeric, virgule), then return error: FTRRS052 OECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE</p>	O
026	FPI - Freeze PIC		A	1-1	A, B, E, R, S, T	1. If populated and vv = R, S, T and	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Indicator					<p>LNA = N, T, then return error: FTRRS053 FPI VALID VALUE = R, S, T IS PROHIBITED WHEN LNA = N, T</p> <p>2. If populated and LNA = B, D, S, X, Y, Z, then return error: FTRRS054 FPI IS PROHIBITED</p> <p>3. If populated and vv ≠ A, B, E, R, S, T, then return error: FTRRS055 FPI VALID VALUE = A, B, E, R, S, T</p>	
027	PIC - InterLATA Presubscription Indicator Code		A/N	2-4	Valid PIC Code NONE NC	<p>1. If populated and vv = NC and LNA = B, N, S, T, V, then return error: FTRRS056 PIC VALID VALUE = NC IS PROHIBITED</p> <p>2. If not populated and (LSR.ACT = W or LNA = N, P, T, V), then return error: FTRRS057 PIC IS REQUIRED</p> <p>3. If populated and LNA = B, D, S, X, Y, then return error: FTRRS058 PIC IS PROHIBITED</p> <p>4. If populated and vv ≠ NONE, NC and ((dl < 2 or > 4) or (dc ≠ numeric)), then return error: FTRRS059 PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC</p>	O
028	LPIC - IntraLATA Presubscription Indicator Code		A/N	2-4	Valid PIC Code NONE NC	<p>1. If populated and vv = NC and LNA = B, N, S, T, V, then return error: FTRRS060 LPIC VALID VALUE = NC IS PROHIBITED</p> <p>2. If not populated and (LSR.ACT = W or LNA = N, P, T, V), then return error:</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						FTRRS061 LPIC IS REQUIRED 3. If populated and LNA = B, D, S, X, Y, then return error: FTRRS062 LPIC IS PROHIBITED 4. If populated and vv ≠ NONE, NC and ((dl < 2 or > 4) or (dc ≠ numeric)), then return error: FTRRS063 LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC	
029	IPIC - International Pre-subscription Indicator Code	Do Not Map				NOT SUPPORTED BY FTR	
030	TC OPT - Transfer of Call Options		A	1-1	N, S, T	1. If populated and vv ≠ N and LNA = X and LSR.AC = B, then return error FTRRS064 TC OPT VALID VALUE = N WHEN LNA = X and AC = B 2. If not populated and LNA = D, X, then return error: FTRRS065 TC OPT IS REQUIRED 3. If populated and LNA ≠ C, S, D, X, then return error: FTRRS066 TC OPT IS PROHIBITED 4. If populated and vv ≠ N, S, T, then return error: FTRRS067 TC OPT VALID VALUE = N, S, T	O
031	LEAN - Line Existing Account Number	Do Not Map				NOT SUPPORTED BY FTR	
032	LEATN - Line Existing Account Telephone Number	Do Not Map				NOT SUPPORTED BY FTR	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
SECTION: TC TO PRI – Number Of Occurrences = 1							
033	TC TO PRI - Transfer of Calls To Primary Number		N	10-10		1. If not populated and TC OPT = S, T, then return error: FTRRS068 TC TO PRI IS REQUIRED 2. If populated and TC OPT ≠ S, T, then return error: FTRRS069 TC TO PRI IS PROHIBITED 3. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRRS070 TC TO PRI VALID VALUE = 10 NUMERIC	O
036	TCID - Transfer of Calls To Identifier		N	1-2		1. If not populated and TC OPT = T, then return error: FTRRS071 TCID IS REQUIRED 2. If populated and TC OPT ≠ T, then return error: FTRRS072 TCID IS PROHIBITED 3. If populated and vv ≠ 1, then return error: FTRRS073 TCID VALID VALUE FOR INITIAL OCCURRENCE = 1	O
037	TC NAME - Transfer of Calls To Name		A/N Apostrophe, Comma, Hyphen, Period, Space	1-35		1. If not populated and TC OPT = T, then return error: FTRRS074 TC NAME IS REQUIRED 2. If populated and TC OPT ≠ T, then return error: FTRRS075 TC NAME IS PROHIBITED 3. If populated and (dl > 35 or dc ≠ alpha, numeric, apostrophe, comma,	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						hyphen, period, space), then return error: FTRRS076 TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	
SECTION: TC TO SEC – Number Of Occurrences =							
034	TC TO SEC - Transfer of Calls To Secondary Number		N	10-10		<p>1. If not populated and TC OPT = T, then return error: FTRRS077 TC TO SEC IS REQUIRED</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRRS078 TC TO SEC IS PROHIBITED</p> <p>3. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRRS079 TC TO SEC VALID VALUE = 10 NUMERIC</p>	O
037a	TCID 2 - Transfer of Calls To Identifier 2	Frontier Specific Field	N	1-2		<p>1. If not populated and TC OPT = T, then return error: FTRRS080 TCID 2 IS REQUIRED</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRRS081 TCID 2 IS PROHIBITED</p> <p>3. If populated and (dl > 2 or dc ≠ numeric), then return error: FTRRS082 TCID 2 VALID VALUE = 1-2 NUMERIC</p> <p>4. If populated and all occurrences of data are not sequential, then return error: FTRRS122 TCID 2 MUST BE SEQUENTIAL</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
037b	TCNAME 2 - Transfer of Calls To Name 2	Frontier Specific Field	A/N Apostrophe, Comma, Hyphen, Period, Space	1-35		<p>1. If not populated and TC OPT = T, then return error: FTRRS083 TCNAME 2 IS REQUIRED</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRRS084 TCNAME 2 IS PROHIBITED</p> <p>3. If populated and (dl > 35 or dc ≠ alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: FTRRS085 TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE</p>	O
035	TC PER - Transfer of Calls Period		N	8-8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	<p>1. If populated and vv <, = LSR.DDD, then return error: FTRRS086 TC PER MUST BE GREATER THAN DESIRED DUE DATE</p> <p>2. If populated and TC TO PRI is not populated, then return error: FTRRS087 TC PER IS PROHIBITED</p> <p>2. If populated and valid format ≠ CCYYMMDD, then return error: FTRRS088 TC PER VALID FORMAT = CCYYMMDD</p>	O
038	JK CODE - Jack Code	Do Not Map				NOT SUPPORTED BY FTR	
039	JK NUM - Jack Number	Do Not Map				NOT SUPPORTED BY FTR	
040	JK POS - Jack Position	Do Not Map				NOT SUPPORTED BY FTR	
041	JR - Jack Request	Do Not Map				NOT SUPPORTED BY FTR	
042	NIDR - NID Request	Do Not Map				NOT SUPPORTED BY FTR	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
043	IWT - Inside Wire Type	Do Not Map				NOT SUPPORTED BY FTR	
044	IWJK - Inside Wire Jack Code		A/N	1-5		1. If populated and RS.LNA ≠ N, T, V, C, then return error: FTRRS123 IWJK IS PROHIBITED	
045	IWJQ - Inside Wire Jack Quantity		N	2	01-99	1 If populated and RS.IWJK not populated, then return error: FTRRS124IWJQ IS PROHIBITED	
046	SGNL - Signaling	Do Not Map				NOT SUPPORTED BY FTR	
047	SSIG - Start Signaling		A	2-2	LS, GS	1. If populated and LSR.ACT = B, S, W, Y, then return error: FTRRS093 SSIG IS PROHIBITED 2. If populated and vv ≠ LS, GS, then return error: FTRRS094 SSIG VALID VALUE = LS, GS	O
048	PULSE - Type of Pulsing	Do Not Map				NOT SUPPORTED BY FTR	
049	LSCP - Local Service Provider Change Prohibited		A	1-1	A, B	1. If populated and vv = B and LNA ≠ C, then return error: FTRRS095 LSCP VALID VALUE = B IS PROHIBITED WHEN LNA IS NOT C 2. If populated and LNA = D, S, B, X, P, Y, then return error: FTRRS096 LSCP IS PROHIBITED 3. If populated and vv ≠ A, B, then return error: FTRRS097 LSCP VALID VALUE = A, B	O
050	BA - Blocking Activity		A	1-1	A, D, N, E	1. If vv ≠ A and LNA = N, T, then return error: FTRRS098 BA VALID VALUE = A WHEN LNA = N, T 2. If not populated and LNA = N, T, V,	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						then return error: FTRRS099 BA IS REQUIRED 4. If populated and LNA ≠ N, T, V, C, then return error: FTRRS100 BA IS PROHIBITED 5. If populated and vv ≠ A, D, N, E, then return error: FTRRS101 BA VALID VALUE = A, D, N, E	
051	BLOCK - Block		A/N	1-16		1. If not populated and BA = A, D, E, then return error: FTRRS102 BLOCK IS REQUIRED 2. If populated and BA ≠ A, D, E, then return error: FTRRS103 BLOCK IS PROHIBITED 3. If populated and (dl > 16 or dc ≠ alpha, numeric), then return error: FTRRS104 BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC	O
052	CC-ACT - Calling Card Activity	Do Not Map				NOT SUPPORTED BY FTR	
053	CC-NO - Calling Card Number	Do Not Map				NOT SUPPORTED BY FTR	
054	CCT - Calling Card Type	Do Not Map				NOT SUPPORTED BY FTR	
055	FLI - Foreign Language Indicator	Do Not Map				NOT SUPPORTED BY FTR	
056	DI - Disability Indicator	Do Not Map				NOT SUPPORTED BY FTR	
057	CCDD - Calling Card Disconnect Date	Do Not Map				NOT SUPPORTED BY FTR	
058	CNAM - Calling Name	Do Not Map				NOT SUPPORTED BY FTR	
059	BSPRAO - Billing	Do Not Map				NOT SUPPORTED BY FTR	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Service Provider Revenue Accounting Office Type						
060	CFA - Connecting Facility Assignment	Do Not Map				NOT SUPPORTED BY FTR	
060a	OPRSVC - Operator Service Treatment		A	2-2	CR, RB, RU, BN	<p>1. If populated and LNA = B, P, S, X, Y, Z, then return error: FTRRS105 OPRSVC IS PROHIBITED FOR LNA</p> <p>2. If populated and EU.LOC.STATE = PA, NJ, DE, MD, DC, VA, WV, then return error: FTRRS106 OPRSVC IS PROHIBITED FOR STATE</p> <p>3. If populated and vv ≠ CR, RB, RU, BN, then return error: FTRRS107 OPRSVC VALID VALUE = CR, RB, RU, BN</p>	O
061	FA - Feature Activity		A	1-1	N, C, D, V	<p>1. If populated and vv ≠ N, C, D and LSR.ACT = C and LSR.AC = B, C, D, E, then return error: FTRRS108 FA VALID VALUE = N, C, D</p> <p>2. If populated and vv ≠ N, C, D and LNA = C, then return error: FTRRS109 FA VALID VALUE = N, C, D WHEN LNA = C</p> <p>3. If populated and vv ≠ N and LNA = N, T, then return error: FTRRS110 FA VALID VALUE = N WHEN LNA = N, T</p> <p>4. If populated and vv ≠ N, V and LNA = V, then return error: FTRRS111 FA VALID VALUE = N, V WHEN LNA = V</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>5. If populated and LSR.ACT = C and LNA = X and LSR.AC is not populated, then return error: FTRRS112 FA IS PROHIBITED</p> <p>6. If populated and (LSR.ACT = B, S, Y or LNA = D, P, W), then return error: FTRRS113 FA IS PROHIBITED</p> <p>7. If populated and vv ≠ N, C, D, V, then return error: FTRRS114 FA VALID VALUE = N, C, D, V</p>	
062	FEATURE - Feature Codes		A/N	1-6		<p>1. If populated and FA is not populated, then return error: FTRRS115 FEATURE IS PROHIBITED</p> <p>2. If not populated and FA is populated, then return error: FTRRS116 FEATURE IS REQUIRED</p> <p>3. If populated and (dl > 6 or dc ≠ alpha, numeric), then return error: FTRRS117 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC</p>	O
063	FEATURE DETAIL - Feature Detail		A/N Special Characters allowed: Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign,	1-200		<p>1. If populated and FEATURE is not populated, then return error: FTRRS118 FEATURE DETAIL IS PROHIBITED</p> <p>2. If populated and (dl > 200 or dc ≠ alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon,</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule			space, virgule, then return error: FTRRS119 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE	

APPENDIX A: ERROR MESSAGE TABLE

Error Message Number	Error Message Text
FTRRS001	RSQTY IS REQUIRED
FTRRS002	RSQTY VALID VALUE = 1-5 NUMERIC
FTRRS003	LOCNUM IS REQUIRED
FTRRS004	LOCNUM VALID VALUE = 1-3 NUMERIC
FTRRS005	LNUM IS REQUIRED
FTRRS006	LNUM VALID VALUE = 1-5 NUMERIC
FTRRS007	NPI VALID VALUE = C, F WHEN NPDI = D
FTRRS008	NPI VALID VALUE = E, F WHEN NPDI = B
FTRRS009	NPI IS REQUIRED
FTRRS010	NPI IS PROHIBITED
FTRRS011	LNA IS REQUIRED
FTRRS012	WHEN LNA IS C AT LEAST ONE OF THE FIELDS FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, FA MUST BE POPULATED
FTRRS013	LNA VALID VALUE = B, Y WHEN ACT = B
FTRRS014	LNA VALID VALUE = C, N, D, P, T, X, Z WHEN ACT = C
FTRRS015	LNA VALID VALUE = C, X WHEN ACT = C AND AC = B, C
FTRRS016	LNA VALID VALUE = N WHEN ACT = N, T
FTRRS017	LNA VALID VALUE = S WHEN ACT = S
FTRRS018	LNA VALID VALUE = N, V, W, D WHEN ACT = V
FTRRS019	LNA VALID VALUE = W WHEN ACT = W
FTRRS020	LNA VALID VALUE = Y WHEN ACT = Y
FTRRS021	LNA VALID VALUE = T IS PROHIBITED FOR ACTIVITY
FTRRS022	LNA VALID VALUE = Z WHEN ACT = C AND AC = A
FTRRS023	LNA VALID VALUE = Z IS PROHIBITED
FTRRS024	LNA VALID VALUE = B, C, D, N, P, S, T, V, W, X, Y, Z
FTRRS025	TNS VALID VALUE = A IS PROHIBITED
FTRRS026	TNS VALID VALUE = N IS PROHIBITED
FTRRS027	TNS VALID VALUE = A, N WHEN LENGTH = 1
FTRRS028	TNS VALID FORMAT = XXXXXXXXXXXX, XXXXXXXXXXXX-XXXX
FTRRS029	TNS VALID LENGTH = 1, 10, 15
FTRRS030	SUSPEND ACTIVITY VALID VALUE = B, C WHEN STATE = NY
FTRRS031	SUSPEND ACTIVITY VALID VALUE = A, C WHEN STATE = DE, PA
FTRRS032	SUSPEND ACTIVITY IS REQUIRED

Error Message Number	Error Message Text
FTRRS033	SUSPEND ACTIVITY IS PROHIBITED
FTRRS034	SUSPEND ACTIVITY VALID VALUE = A, B, C
FTRRS035	TERS = N IS PROHIBITED
FTRRS036	TERS VALID VALUE = 1-10 ALPHA, NUMERIC, HYPHEN, SPACE, COMMA, SEMICOLON
FTRRS037	OTN IS REQUIRED
FTRRS038	OTN IS PROHIBITED
FTRRS039	OTN VALID VALUE = 10 NUMERIC
FTRRS040	EXKEY VALID LENGTH = 1-6
FTRRS041	TSP IS PROHIBITED
FTRRS042	TSP IS PROHIBITED WHEN LNA = P, X
FTRRS043	TSP VALID FORMAT = XXXXXXXXX-XX
FTRRS044	SAN VALID VALUE = 1-30 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS, SPACE
FTRRS045	ECCKT IS PROHIBITED
FTRRS046	ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE
FTRRS047	RL IS REQUIRED
FTRRS048	RL IS PROHIBITED
FTRRS049	RL VALID VALUE = Y
FTRRS050	OECCKT IS REQUIRED
FTRRS051	OECCKT IS PROHIBITED
FTRRS052	OECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE
FTRRS053	FPI VALID VALUE = R, S, T IS PROHIBITED WHEN LNA = N, T
FTRRS054	FPI IS PROHIBITED
FTRRS055	FPI VALID VALUE = A, B, E, R, S, T
FTRRS056	PIC VALID VALUE = NC IS PROHIBITED
FTRRS057	PIC IS REQUIRED
FTRRS058	PIC IS PROHIBITED
FTRRS059	PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
FTRRS060	LPIC VALID VALUE = NC IS PROHIBITED
FTRRS061	LPIC IS REQUIRED
FTRRS062	LPIC IS PROHIBITED
FTRRS063	LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
FTRRS064	TC OPT VALID VALUE = N WHEN LNA = X and AC = B
FTRRS065	TC OPT IS REQUIRED

Error Message Number	Error Message Text
FTRRS066	TC OPT IS PROHIBITED
FTRRS067	TC OPT VALID VALUE = N, S, T
FTRRS068	TC TO PRI IS REQUIRED
FTRRS069	TC TO PRI IS PROHIBITED
FTRRS070	TC TO PRI VALID VALUE = 10 NUMERIC
FTRRS071	TCID IS REQUIRED
FTRRS072	TCID IS PROHIBITED
FTRRS073	TCID VALID VALUE FOR INITIAL OCCURRENCE = 1
FTRRS074	TC NAME IS REQUIRED
FTRRS075	TC NAME IS PROHIBITED
FTRRS076	TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
FTRRS077	TC TO SEC IS REQUIRED
FTRRS078	TC TO SEC IS PROHIBITED
FTRRS079	TC TO SEC VALID VALUE = 10 NUMERIC
FTRRS080	TCID 2 IS REQUIRED
FTRRS081	TCID 2 IS PROHIBITED
FTRRS082	TCID 2 VALID VALUE = 1-2 NUMERIC
FTRRS083	TCNAME 2 IS REQUIRED
FTRRS084	TCNAME 2 IS PROHIBITED
FTRRS085	TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
FTRRS086	TC PER MUST BE GREATER THAN DESIRED DUE DATE
FTRRS087	TC PER IS PROHIBITED
FTRRS088	TC PER VALID FORMAT = CCYYMMDD
FTRRS089	DELETED
FTRRS090	DELETED
FTRRS091	NIDR IS PROHIBITED
FTRRS092	NIDR VALID VALUE = Y, N
FTRRS093	SSIG IS PROHIBITED
FTRRS094	SSIG VALID VALUE = LS, GS
FTRRS095	LSCP VALID VALUE = B IS PROHIBITED WHEN LNA IS NOT C
FTRRS096	LSCP IS PROHIBITED
FTRRS097	LSCP VALID VALUE = A, B
FTRRS098	BA VALID VALUE = A WHEN LNA = N, T

Error Message Number	Error Message Text
FTRRS099	BA IS REQUIRED
FTRRS100	BA IS PROHIBITED
FTRRS101	BA VALID VALUE = A, D, N, E
FTRRS102	BLOCK IS REQUIRED
FTRRS103	BLOCK IS PROHIBITED
FTRRS104	BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC
FTRRS105	OPRSVC IS PROHIBITED FOR LNA
FTRRS106	OPRSVC IS PROHIBITED FOR STATE
FTRRS107	OPRSVC VALID VALUE = CR, RB, RU, BN
FTRRS108	FA VALID VALUE = N, C, D
FTRRS109	FA VALID VALUE = N, C, D WHEN LNA = C
FTRRS110	FA VALID VALUE = N WHEN LNA = N, T
FTRRS111	FA VALID VALUE = N, V WHEN LNA = V
FTRRS112	FA IS PROHIBITED
FTRRS113	FA IS PROHIBITED
FTRRS114	FA VALID VALUE = N, C, D, V
FTRRS115	FEATURE IS PROHIBITED
FTRRS116	FEATURE IS REQUIRED
FTRRS117	FEATURE VALID VALUE 1-6 ALPHA, NUMERIC
FTRRS118	FEATURE DETAIL IS PROHIBITED
FTRRS119	FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE
FTRRS120	TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5
FTRRS121	TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5
FTRRS122	TCID 2 MUST BE SEQUENTIAL
FTRRS123	IWJK IS PROHIBITED
FTRRS124	IWJQ IS PROHIBITED
FTRRS125	TNS IS REQUIRED
FTRRS126	ONE WAY SUSPENDS ARE NOT ALLOWED FOR THE STATES MA, RI, NJ, MD, DC, VA AND WV
FTRRS127	
FTRRS128	
FTRRS129	
FTRRS130	

