

**FRONTIER SPECIFIC ACCESS ORDER RULES**

CHANGE LOG		
DATE	FIELD	CHANGE
4/12/10	All	Initial version

Form	Tag Name	Rule
ASR	PROJECT	<p>If the ASR:RPON is populated and the first 5 characters of the ASR:PROJECT is “REPON” and the ASR:ACT is “N” or “D”, then error message, “The ASR:RPON field is prohibited when the first 5 characters of the ASR:PROJECT field are ‘REPON’”. FTR0001</p> <p>Else, if the ASR:PROJECT(6) is not “1”, “2” or “3” and the first 5 positions of ASR:PROJECT are “SPUNE”, then error message, “PROJECT field valid entry in position 6 is "1", "2", or "3", when the 1st five characters are "SPUNE". FTR1185</p> <p>Else, if the ASR:PROJECT (10-12) is not equal to the ASR:LATA when the first 5 characters are “SPUNE”, then error message, “PROJECT field positions 10-12 must equal the entry in the LATA field when 1st five characters are "SPUNE". FTR1186</p> <p>Else, if ASR:PROJECT field is not fully populated and the first 5 characters are “SPUNE”, then error message, “PROJECT field must be fully populated when the 1st five characters are "SPUNE"” FTR1187</p>
	ICSC	<p>If the ASR:ICSC is not “FV01” and the first 5 characters of the ASR:PROJECT are “SPUNE” and the ASR:ACT is “C”, “N”, “M”, “T”, “R”, or “D” and the ASR:REQTYP(1) is “S”, then error message, “The ICSC field entry is invalid for SPUNE Project”. FTR0972</p>
	SPEC	<p>If the ASR:SPEC is “ONSXXX” or “SS7MW” and the ASR:ACT is C”, “N”, “M”, “T”, “R”, or “D” and the ASR:REQTYP(1) is “S”, “E”, “V”, “X”, “M”, “A”, “R”, “W”, then error message, “Entry of "ONSXXX" or "SS7MW" is not a valid entry if ASR:REQTYP field is not "L". FTR0564</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>Else, if the ASR:SPEC field is populated and the ASR:REQTYP is “ED” and the ASR:ACT is “N” and the NC field of the service specific form is “SNGK” or “HCE9”, then error message, “ASR:SPEC field is prohibited when ASR:REQTYP field is “ED”, the ASR:ACT is “N”, and the NC is “SNGK” or “HCE9”. FTR6805</p> <p>Else, if the ASR:SPEC field is populated and the ASR:REQTYP is “SD” and the ASR:ACT is “N” and the NC field of the service specific form is “SNGD”, then error message, “SPEC field is prohibited when REQTYP is “SD”, the ACT is “N”, and the NC is “SNGD”. FTR6806</p> <p>Else, if ASR:SPEC is “UNBALL”, “UNB1OT”, “POVNUM”, “CMPUN1” or “CMPUN2” and position 1-5 of ASR:PROJECT is “UNESP” and ASR:REQTYP(1) is “S” and the ASR:ACT is “N”, then error ,” If position 1-5 of PROJECT = UNESP, SPEC cannot = UNBALL, UNB1OT, POVNUM, CMPUN1 or CMPUN2. Correct and re-submit.” FTR7407</p> <p>Else, if ASR:SPEC is “BODORC” and ASR:REQTYP(1) is “S” or “E” and ASR:ACT is “R”, then error, “SPEC entry of “BODORC” is prohibited when the ACT field is “R”. FTR0517</p> <p>Else, if ASR:SPEC is not “CMPMUE”, “PHDS1M”, “PHDS3M”, “VTDS1M”, “VTDS3M” or “POVNAC” and the ASR:REQTYP(1) is “M”, and the ASR:ACT field is “N” and the TRUNK:TTT field is “3”, and the NC field of the service specific form is “SDUK”, “SDUR”, “SDUM”, “SDUN”, then error message, “SPEC is required and must equal “CMPMUE”, “PHDS1M”, “PHDS3M”, “VTDS1M”, “VTDS3M”, “POVNAC”, when TTT field is “3”, and NC is SDUK, SDUR, SDUM, SDUN. FTR 0177</p>
	VTA	<p>If the ASR:VTA field is populated and the ASR:REQTYP(1) is “M”, and the ASR:ACT field is “N”, “M”, “T”, “C”, and the ASR:UNE field is populated, then error, “VTA field is prohibited if 1st position of REQTYP is “M”, the ACT field is “N”, “M”, “T”, “C”, and the UNE field is populated.” FTR0617</p> <p>Else if the ASR:VTA field is populated and the ASR:REQTYP(1) is “S”, and the ASR:UNE field is “Y”, and the ASR:ACT field is “N”, “M”, “T”, “C”, and the ASR:SPEC field is “UNBALL”, and in the service specific form if the 1st position of the SECLOC field is “E” and positions 1 - 2 of the NC field are “HC” or “HF”, then error message, “VTA field is prohibited because of entries in the REQTYP, UNE, ACT, SPEC, SECLOC and NC fields.” FTR0618</p>

## FRONTIER SPECIFIC ACCESS ORDER RULES

Form	Tag Name	Rule
		<p>Else, if the ASR:VTA field is populated and the ASR:EVCI field is “A”, and the ASR:REQTYP(1) field is “S” and the ASR:ACT field is “N”, “C” or “R”, then error message, “VTA is prohibited if EVCI is A” FTR0075</p> <p>Else, if the ASR:VTA field is not populated and the ASR:ACT field is "N", "C", "M", "T", or "R", the ASR:SPEC field is "OWSP1", and the ASR:REQTYP(1) field is "E" or "S", and the NC field of the service specific form is not "OB--", "OB-R", "OD--", "OD-R", "KFL-", "OPF-", "OPD-", "OBT-", "OBTR", "ODT-", "ODTR", "KFLP", "OPFP", or "OPDP", then error message, “VTA must be populated for this Optical Wavelength Service” FTR0556</p>
	CNO	<p>When populated, if the 1st position of the REQTYP field is “S”, the ACT is “N”, “C”, “T”, or “R”, the UNE field is “Y”, only valid value in position 1 is “Y” or "space", valid value in position 2 is “C”, “S”, or not populated, and all other positions prohibited. Else, error message, “CNO entry prohibited because of entry in REQTYP, ACT, and UNE.” FTR2933</p> <p>Else, if ASR:CNO field is not populated and ASR:SPEC is "ONSXXX", then error message, “CNO field is required If SPEC is "ONSXXX".” FTR0341</p> <p>Else, if ASR:CNO(1-6) is not “0” followed by numerics and ASR:REQTYP(1) is “L” and ASR:ACT is “C”, then error message, “CNO valid entry is 6 numerics with a leading 0 (zero).” FTR0785</p> <p>Else, if ASR:CNO is not populated and ASR:REQTYP(1) is “S”, and the ASR:ACT is “N”, “C”, “D”, “T”, or “R”, and the ASR:UNE field is “Y”, and the ASR:SPEC field is “UNBIOT”, “UNBALL”, “POVNUN”, “CMPUN1”, or “CMPUN2”, and the ASR:ACTL(9) field is “W” or the 10th position of the TRANS:SECLOC(10) field is “W”, then error message, “CNO field is required because of entries in the ACT field, REQTYP field, UNE field, SPEC field and ACTL.” FTR2934</p> <p>Else, if the ASR:CNO field is populated and is not 6 numerics with a leading zero, and ASR:SPEC is “ONSXXX”, and the ASR:REQTYP(1) is L and ASR:ACT is “C”, then error message, “If SPEC = ONSXXX, CNO valid format: 6 numerics with leading 0 (zero) (VZ North and South only)” FTR7592</p>
	PNUM	<p>If the ASR:PNUM field is not populated and the first six characters of the ASR:SPEC field are "BODFAC" or "BODORC", then error message, “PNUM field required when the first six characters of the SPEC field are "BODFAC" or "BODORC".FTR6588</p> <p>Else, if the ASR:PNUM field is not populated and the first five</p>

## FRONTIER SPECIFIC ACCESS ORDER RULES

Form	Tag Name	Rule
		<p>characters of the SPEC field are "VNOSF" and the ASR:REQTYP(1) is "R" and the ASR:ACT is "N", "M", "T", "C", or "R", then error message, "PNUM field required when the first five characters of the SPEC field are "VNOSF". FTR0514</p> <p>Else, if ASR:PNUM is not populated and ASR:SPEC is "BODFAC" OR "BODORC", then error message, "PNUM is required if SPEC = BODFAC OR BODORC " FTR8048</p>
	RPON	<p>If ASR:RPON is populated and is equal to the ASR:PON field and the ASR:ACT is "C", "M", "N" or "", then error message, "RPON field entry cannot be the same as the entry in the PON field." FTR0546</p> <p>Else, if ASR:RPON is not populated and the first 5 characters of the ASR:PROJECT field are "SPUNE", and the ASR:REQTYP(1) is S and the ASR:ACT is "N" or "D", then error message, "RPON field is required with the 1st five characters of the PROJECT field are "SPUNE"." FTR1216</p>
	SPEC	<p>If the ASR:SPEC field is populated and the ASR:ACT field is "D" and the ASR:REQTYP(1) is "S" and the first 5 characters of the ASR:PROJECT field are "SPUNE", then error message, SPEC field is prohibited when the ACT field is "D" and the 1st five characters of the PROJECT field are "SPUNE"." FTR1222</p> <p>Else, if the ASR:SPEC field is not "UNBALL" or "UNB1OT" and the first 5 characters of the ASR:PROJECT field are "SPUNE" and the ASR:REQTYP(1) is "S" and the ASR:ACT field is "N", then error message, "If position 1-5 of PROJECT = SPUNE, SPEC code must = UNBALL or UNB1OT". FTR6881</p> <p>Else, if positions 1-3 of the ASR:SPEC field are "FMS" and positions 4-5 of the ASR:SPEC field are not "5Y", "3Y", "MM" or positions 4-6 of the ASR:SPEC field are not "XXX", "XX3", "XX5", then error message, "SPEC field entry invalid when positions 1-3 of the SPEC is "FMS"." FTR0559</p> <p>Else, if ASR:SPEC is not "POVNUN", "UNBALL", or "UNB1OT" and ASR:ACT field is "N", and ASR:REQTYP(1) is "S" and the 1st five characters of the ASR:PROJECT field are "SPUNE", then error message, "SPEC field entries of "POVNUN", "UNBALL", or "UNB1OT" are required when the ACT is "N", the 1st five characters of the PROJECT are "SPUNE"." FTR1221</p>
	ECCKT	<p>If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,C,R,D and the ASR:ADMIN:ECCKT is populated</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>and it is not true that any occurrence of MULTI_EC is there and the ASR:ADMIN:ECCKT does not have 5 number of segments Then error message, “NUMBER OF DELIMITED FIELDS FOR THE ASR:ECCKT SHOULD BE 5 WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’”. FTR6222</p> <p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,C,R,D and the ASR:ADMIN:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and the ASR:ADMIN:ECCKT with segment 1 is populated and it is not true that the ASR:ADMIN:ECCKT has the specified segment with number 1 whose length is in range 1 to 4 with leading spaces to support virgule or period as delimiter Then error message, “FIRST DELIMITED FIELD OF THE ASR:ECCKT SHOULD BE 1-4 NUMERICIS WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’”.FTR6223</p> <p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,C,R,D and the ASR:ADMIN:ECCKT is populated and the ASR:ADMIN:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and it is not true that the ASR:ADMIN:ECCKT has the specified segment with number 2 whose length is in range 6 to 13 to support virgule or period as delimiter Then error message, “LENGTH OF THE SECOND DELIMITED FIELD OF THE ASR:ECCKT SHOULD BE 6-13 WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’”. FTR6224</p> <p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,C,R,D</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>and the ASR:ADMIN:ECCKT is populated            and the ASR:ADMIN:ECCKT has 5 number of segments            and it is not true that any occurrence of MULTI_EC is there            and the ASR:ADMIN:ECCKT from 1 to 2 of the segment 2 has            the comma separated values AF,DF,DN,FG,IH,IF,MI,PH to            support virgule or period as delimiter            Then            error message, “FIRST 2 CHARACTERS OF THE            SECOND DELIMITED FIELD OF THE ASR:ECCKT            SHOULD BE ‘AF’, ‘DF’, ‘DN’, ‘FG’, ‘IH’, ‘IF’, ‘MI’ OR            ‘PH’ WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’            AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’”.            FTR6225</p> <p>Else, position 1 of ASR:ADMIN:REQTYP field is equal to values            M,L            and the ASR:ADMIN:ACT is equal to values N,C,R,D            and the ASR:ADMIN:ECCKT is populated            and the ASR:ADMIN:ECCKT has 5 number of segments            and it is not true that any occurrence of MULTI_EC is there            and the ASR:ADMIN:ECCKT from 3 to 4 of the segment 2 has            the comma separated values -3,-4,-5,4,-5,-44,45,53,54,55,--,1,-            2,1,-2,-3-,51,52 to support virgule or period as delimiter            Then            error message, “POSITIONS 3-4 OF THE SECOND            DELIMITED FIELD OF THE ASR:ECCKT SHOULD BE ‘-            3’, ‘-4,’ ‘-5’, ‘4-’, ‘5-’, ‘44’, ‘45’, ‘53’, ‘54’, ‘55’, ‘—’, ‘-1’,            ‘-2’, ‘1-’, ‘2-’, ‘3-’, ‘51’, ‘52’ WHEN THE ASR:RQTYP(1)            FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’,            ‘C’, ‘R’ OR ‘D’”FTR6226</p> <p>Else, if            position 1 of ASR:ADMIN:REQTYP field is equal to values            M,L            and the ASR:ADMIN:ACT is equal to values N,C,R,D            and the ASR:ADMIN:ECCKT is populated            and the ASR:ADMIN:ECCKT has 5 number of segments            and it is not true that any occurrence of MULTI_EC is there            and the ASR:ADMIN:ECCKT from 5 to 6 of the segment 2 are            not alpha characters to support virgule or period as delimiter            Then            error message, “POSITIONS 5-6 OF THE SECOND            DELIMITED FIELD OF THE ASR:ECCKT SHOULD BE            ALPHAS WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR            ‘L’ AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’”.            FTR6227</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,C,R,D and the ASR:ADMIN:ECCKT is populated and the ASR:ADMIN:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and it is not true that he ASR:ADMIN:ECCKT has segment with specified 3 of the specified 8 to support virgule or period and it is not true that he ASR:ADMIN:ECCKT has segment with specified 3 of the specified 11 to support virgule or period Then error message, “THE LENGTH OF THE THIRD DELIMITED FIELD OF THE ASR:ECCKT SHOULD BE 8 OR 11 WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’” . FTR6228</p> <p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,C,R,D and the ASR:ADMIN:ECCKT is populated and the ASR:ADMIN:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and the ASR:ADMIN:ECCKT has no values A-,FF,J-,MM,-M,M-,NN,77,-7,7- in the segment 4 to support virgule or period as delimiter Then error message, “THE FOURTH DELIMITED FIELD OF THE ASR:ECCKT SHOULD BE ‘A-’, ‘FF’, ‘J-’, ‘MM’, ‘-M’, ‘M-’, ‘NN’, ‘77’, ‘-7’, ‘7-’ WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’” . FTR6230</p> <p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,C,R,D and the ASR:ADMIN:ECCKT is populated and the ASR:ADMIN:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and it is not true that he ASR:ADMIN:ECCKT has segment</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>with specified 5 of the specified 8 to support virgule or period and it is not true that he ASR:ADMIN:ECCKT has segment with specified 5 of the specified 11 to support virgule or period Then error message, “THE LENGTH OF THE FIFTH DELIMITED FIELD OF THE ASR:ECCKT SHOULD BE 8 OR 11 WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’, ‘C’, ‘R’ OR ‘D’”. FTR6231</p>
	TQ	<p>If position 1 of ASR:ADMIN:REQTYP is equal to M and the 1 position of ASR:ADMIN:TQ field is equal to values B,C,D,E,L,M,S,T,U,W,X and it is not true that any occurrence of TQ is there Then error message, “THE TQ FORM IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ AND THE ASR:TQ(1) FIELD IS ‘B’, ‘C’, ‘D’, ‘E’, ‘L’, ‘M’, ‘S’, ‘T’, ‘U’, ‘W’ OR ‘X’”. FTR6257  Else, If position 1 of ASR:ADMIN:TQ field is equal to values C,M,X and the 1 position of ASR:ADMIN:REQTYP is equal to M and the section TQ:INTER_TRANS_RTG is not populated Then error message, “ THE TQ INTERCONNECTION/STP TRANSLATION ROUTING SECTION IS REQUIRED WHEN THE ASR:RQTYP FIELD IS ‘M’ AND THE ASR:TQ(1) FIELD IS ‘C’, ‘M’ or ‘X’”. FTR6258</p>
	TSC	<p>If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT equals N and the ASR:ADMIN:ACTI is equal to values A,B Then error message, “THE ASR:TSC FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’, THE ASR:ACT FIELD IS ‘N’ AND THE ASR:ACTI FIELD IS ‘A’ OR ‘B’”. FTR6254</p>
ARI	NC	<p>If ARI:NC(1) is “0” and ASR:ACT is “N”, “C”, “R”, “M” or “T” and ASR:REQTYP(1) is “R”, then error message, “NC field position 1 cannot be numeric zero (0) when the ACT field is "N", "M", "T", "C", or "R".” FTR0413</p>
	NCI	<p>If the ARI:NCI(3) is not "Q" and the ASR:ACTL(9) is "H", and the ASR:ACTL(10) is alpha, and the ASR:ACT field is "N" or</p>

## FRONTIER SPECIFIC ACCESS ORDER RULES

Form	Tag Name	Rule
		<p>"C", then error message, "Valid entry for the 3rd position of the NCI field is "Q" when the 9th position of the ACTL is "H" and the 10th position is "alpha". FTR 0151</p>
ACI	ECCKT	<p>If  position 1 of ASR:ADMIN:REQTYP field is equal to values M,L  and the ASR:ADMIN:ACT is equal to values N,D  and the ACI:ECCKT is populated  and it is not true that any occurrence of MULTI_EC is there  and the ACI:ECCKT does not have 5 number of segments  Then  error message, "NUMBER OF DELIMITED FIELDS FOR THE ACI:ECCKT SHOULD BE 5 WHEN THE ASR:RQTYP(1) FIELD IS 'M' OR 'L' AND THE ASR:ACT FIELD IS 'N' OR 'D'". FTR6210</p> <p>Else,  If  position 1 of ASR:ADMIN:REQTYP field is equal to values M,L  and the ASR:ADMIN:ACT is equal to values N,D  and the ACI:ECCKT is populated  and the ACI:ECCKT has 5 number of segments  and it is not true that any occurrence of MULTI_EC is there  and it is not true that he ACI:ECCKT has segment with specified 5 of the specified 8 to support virgule or period  and it is not true that he ACI:ECCKT has segment with specified 5 of the specified 11 to support virgule or period  Then  error message, "THE LENGTH OF THE FIFTH DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE 8 OR 11 WHEN THE ASR:RQTYP(1) FIELD IS 'M' OR 'L' AND THE ASR:ACT FIELD IS 'N' OR 'D'". FTR6219</p> <p>Else, If  the ACI:ECCKT is not populated  and position 1 of ASR:ADMIN:REQTYP field is equal to values S,E,L,M,A,W  and the ASR:ADMIN:ACT is equal to values N,D,C,R,T,M  and the ACI:ECCKT is not populated  and the ASR:ADMIN:SUP equals 3  Then  error message, "THE ACI:ECCKT FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'S', 'E', 'L', 'M', 'A' OR 'W', THE ASR:ACT FIELD IS 'N', 'D', 'C', 'R', 'T' OR 'M' AND THE ASR:SUP FIELD IS '3'". FTR6209</p> <p>Else, if position 1 of ASR:ADMIN:REQTYP field is equal to</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>values M,L            and the ASR:ADMIN:ACT is equal to values N,D            and the ACI:ECCKT is populated            and the ACI:ECCKT has 5 number of segments            and it is not true that any occurrence of MULTI_EC is there            and the ACI:ECCKT with segment 1 is populated            and it is not true that the ACI:ECCKT has the specified segment with number 1 whose length is in range 1 to 4 with leading spaces to support virgule or period as delimiter            Then            error message, "FIRST DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE 1-4 NUMERIC WHEN THE ASR:RQTYP(1) FIELD IS 'M' OR 'L' AND THE ASR:ACT FIELD IS 'N' OR 'D'".FTR6211</p> <p>Else,            If            position 1 of ASR:ADMIN:REQTYP field is equal to values M,L            and the ASR:ADMIN:ACT is equal to values N,D            and the ACI:ECCKT is populated            and the ACI:ECCKT has 5 number of segments            and it is not true that any occurrence of MULTI_EC is there            and it is not true that the ACI:ECCKT has the specified segment with number 2 whose length is in range 6 to 13 to support virgule or period as delimiter            Then            error message, "LENGTH OF THE SECOND DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE 6-13 WHEN THE ASR:RQTYP(1) FIELD IS 'M' OR 'L' AND THE ASR:ACT FIELD IS 'N' OR 'D'". FTR 6212</p> <p>Else,            If            position 1 of ASR:ADMIN:REQTYP field is equal to values M,L            and the ASR:ADMIN:ACT is equal to values N,D            and the ACI:ECCKT is populated            and the ACI:ECCKT has 5 number of segments            and it is not true that any occurrence of MULTI_EC is there            and the ACI:ECCKT from 1 to 2 of the segment 2 has the comma separated values AF,DF,DN,FG,IH,IF,MI,PH to support virgule or period as delimiter            Then            error message, "FIRST 2 CHARACTERS OF THE SECOND DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE 'AF', 'DF', 'DN', 'FG', 'IH', 'IF', 'MI' OR 'PH' WHEN THE ASR:RQTYP(1) FIELD IS 'M' OR 'L' AND THE ASR:ACT</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>FIELD IS 'N' OR 'D'". FTR6213</p> <p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,D and the ACI:ECCKT is populated and the ACI:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and the ACI:ECCKT from 3 to 4 of the segment 2 has the comma separated values -3,-4,-5,4,-5,-44,45,53,54,55,--, -1,-2,1,-2,-3,-51,52 to support virgule or period as delimiter Then error message, "POSITIONS 3-4 OF THE SECOND DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE '-3', '-4,' '-5', '4-', '5-', '44', '45', '53', '54', '55', '—', '-1', '-2', '1-', '2-', '3-', '51', '52' WHEN THE ASR:RQTYP(1) FIELD IS 'M' OR 'L' AND THE ASR:ACT FIELD IS 'N' OR 'D'". FTR6214</p> <p>Else, position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,D and the ACI:ECCKT is populated and the ACI:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and the ACI:ECCKT from 5 to 6 of the segment 2 are not alpha characters to support virgule or period as delimiter Then error message, "POSITIONS 5-6 OF THE SECOND DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE ALPHAS WHEN THE ASR:RQTYP(1) FIELD IS 'M' OR 'L' AND THE ASR:ACT FIELD IS 'N' OR 'D'". FTR6215</p> <p>Else, If position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,D and the ACI:ECCKT is populated and the ACI:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and it is not true that he ACI:ECCKT has segment with specified 3 of the specified 8 to support virgule or period and it is not true that he ACI:ECCKT has segment with specified 3 of the specified 11 to support virgule or period</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>Then error message, “THE LENGTH OF THE THIRD DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE 8 OR 11 WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’ OR ‘D’”. FTR6216</p> <p>Else, position 1 of ASR:ADMIN:REQTYP field is equal to values M,L and the ASR:ADMIN:ACT is equal to values N,D and the ACI:ECCKT is populated and the ACI:ECCKT has 5 number of segments and it is not true that any occurrence of MULTI_EC is there and the ACI:ECCKT has no values A-,FF,J-,MM,-M,M-,NN,77,-7,7- in the segment 4 to support virgule or period as delimiter</p> <p>Then error message, “THE FOURTH DELIMITED FIELD OF THE ACI:ECCKT SHOULD BE ‘A-’, ‘FF’, ‘J-’, ‘MM’, ‘-M’, ‘M-’, ‘NN’, ‘77’, ‘-7’, ‘7-’ WHEN THE ASR:RQTYP(1) FIELD IS ‘M’ OR ‘L’ AND THE ASR:ACT FIELD IS ‘N’ OR ‘D’”. FTR6218</p>
EUSA	NC	<p>If the EUSA:NC(1) is “0” and the ASR:ACT is "N", "M", "T", "C", or "R" and the ASR:REQTYP(1) is “E” or “X”, then error message, “NC field position 1 cannot be numeric zero (0) when the ACT field is "N", "M", "T", "C", or "R"” FTR3274</p> <p>Else, if EUSA:NC field is not "KDA-", "KDE-", "KEA-", "KEE-", "KFE-", "KFL-", "KDAP", "KDEP", "KEAP", "KEEP", "KFEP", or "KFLP", and the ASR:REQTYP(1) is "X" or "E", and the ASR:SPEC field is "LANVCX", "CSMVRX", "TLSEMCC", "TLSERP", "TLSERC", "TLSERPC", "TLSERCC", "TLSERSS", "TLSEMSR", "ERSPT", "ERSPTC", "ERSPTM", or "ERSPTMC" and the ASR:ACT is "N", "C", "R", and the ASR:REQTYP(1) is "X" or “E”, then error message, " NC valid entries are "KDA-", "KDE-", "KEA-", "KEE-", "KFE-", "KFL-", "KDAP", "KDEP", "KEAP", "KEEP", "KFEP", or "KFLP". FTR0192</p> <p>Else, if EUSA:NC field is "KRSY", "KRSZ", "KRSF", "KRSI", "KRS0", "KRPL", "KRSL", "KRPU", or "KFL-" and ASR:SPEC field is "BODFAC", and the ASR:REQTYP(1) is “E” and the ASR:ACT is “N”, then error message, “NC entry is invalid when the ACT field is "N" and the SPEC field is "BODFAC" FTR0519</p> <p>Else, if EUSA:NC is KRPL” and the ASR:SPEC field is “BODORC” and the ASR:REQTYP(1) is “E” and the ASR:ACT is “N”, then error message, “NC entry is invalid when the ACT field</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
	NCI	<p>is "N" and the SPEC field is "BODFAC". FTR0562</p> <p>If the EUSA:NCI field is not populated and the EUSA:NC field is populated and ASR:ACT is "N", "C" or "T" and ASR:REQTYP is "EA" or "XA", then error message, "NCI is required if NC is populated". FTR5222</p> <p>If the EUSA:NCI is not "04LN9.10T", "04LN9.1CT", "02LNF.A02" or "02LNF.A04" and the EUSA:NC is "KDA-", "KDE-", "KEA-", "KEE-", "KFE-", "KFL-", "KDAP", "KDEP", "KEAP", "KEEP", "KFEP", or "KFLP", and the ASR:SPEC is "LANVCX", "CSMVRX", "TLSEMCC", "TLSERP", "TLSERC", "TLSERPC", "TLSERCC", "TLSERSS", "TLSEMSR", "ERSPT", "ERSPTC", "ERSPTM", or "ERSPTMC" and the ASR:REQTYP(1) is "E" or "X" and the ASR:ACT is "N", "C" or "R", then error message, "NCI must be "04LN9.10T", "04LN9.1CT", "02LNF.A02" or "02LNF.A04" for TLS Service requested". FTR0104</p> <p>Else, if the EUSA:NCI field is not "02LNF.A02" and the ASR:SPEC field is "ERSNPA" and the ASR:REQTYP(1) is "E" and the ASR:ACT is "C", "N" or "R", then error message, "NCI entry must be "02LNF.A02" when the SPEC field is "ERSNPA". FTR0579</p> <p>Else, if positions 1-2 of EUSA:NCI is not is "02", and EUSA:NC is "KGL-", "KGW-", "OF-Z", "OG-Z", or "OH-R", and ASR:SPEC is "OWSP1", and ASR:REQTYP(1) is "E", and ASR:ACT is "N", "C", "M", "R", or "T", then error message, "NCI positions 1-2 valid entry is "02" when NC is "KGL-", "KGW-", "OF-Z", "OG-Z", or "OH-R", the SPEC is "OWSP1". FTR0708</p> <p>Else, if positions 1-2 of EUSA:NCI is not "02" and EUSA:NC is "OK-C", and ASR:SPEC is "OWSP1", and the ASR:REQTYP(1) is "E", and ASR:ACT is "N", "C", "M", "R", or "T", then error message, "NCI positions 1-2 valid entry is "02" when NC is "OK-C", the SPEC is "OWSP1". FTR0709</p> <p>Else, if positions 1-2 of EUSA:NCI is not "04" and EUSA:NC is "OKTC", and ASR:SPEC is "OWSP1", and ASR:REQTYP(1) is "E", and ASR:ACT is "N", "C", "M", "R", or "T", then error message, "NCI positions 1-2 valid entry is "04" when NC is "OKTC", the SPEC is "OWSP1". FTR0710</p> <p>Else, if EUSA:NCI is not "04LN9.10T", "04LN9.1CT", "02LNF.A02" or "02LNF.A04" and EUSA:NC is "KDA-", "KDB-", "KDE-", "KEA-", "KEE-", "KFE-", or "KFL-", and ASR:REQTYP(1) is "X" and ASR:ACT is "N", "C" or "R", then error message, "NCI must = 04LN9.10T, 04LN9.1CT, 02LNF.A02</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>or 02LNF.A04 when NC = KDA-, KDB-, KDE-, KEA-, KEE-, KFE- or KFL-“ FTR0104</p> <p>Else, if positions 1-5 of EUSA:NCI is "02SOF" and the ASR:SPEC is "BODFAC", and position 1-2 of EUSA:NC are "JI", "HF", "OB", or "OD", and the EUSA:CFA(PRILOC) and EUSA:CFA(SECLOC), or any ICFA (when NAI form present) is populated, and the ASR:REQTYP(1) is “E” and the ASR:ACT is “C”, “M”, “N”, or “T”, then error message, “NCI of 02SOF is not valid when ordering BODFAC to a Stub Hub.” FTR0520</p> <p>Else, if positions 1-5 of EUSALNCI are not "04SOF" or if position 9 is "A", "B", "C" or "I" when the ASSR:REQTYP(1) is "E", and the ASR:ACT is "N", "C" or "T", and positions 1-3 of the ASR:SPEC field are not "UNB" or "SONCUS", and the EUSA:NC field is "HFC-", then error message, “NCI field entry invalid because of entries in the REQ TYP, ACT, ICSC, SPC and NC fields.” FTR0786</p>
EVC	NC	<p>If positions 1-2 of EVC.NC is not "VL" and ASR:EVCI is “A” and ASR:REQTYP(1) is “S” and ASR:ACT is “N”, “C” or “R”, then error message, “EVC NC entry in positions 1-2 must be "VL" when EVCI is A.” FTR0029</p>
	NCI	<p>If positions 1-5 of EVC:NCI are not "02VLN" and positions 1 - 2 of EVC:NC are "VL" and ASR:REQTYP(1) is “S” and ASR:ACT is “N”, “C” or “R”, then error message, “EVC NCI positions 1-5 must be "02VLN" when positions 1 - 2 of EVC NC is "VL".” FTR0032</p>
	SPEC	<p>If EVC:SPEC_1 is populated and EVC:LREF_1 is not populated and ASR:REQTYP(1) is “S” and ASR:ACT is “N”, “C” or “R”, then error message, “SPEC_1 is prohibited when LREF_1 is not populated.” FTR0348.</p> <p>If EVC:SPEC_2 is populated and EVC:LREF_2 is not populated, and ASR:REQTYP(1) is “S” and ASR:ACT is “N”, “C” or “R”, then error message, “SPEC_2 is prohibited when LREF_2 is not populated.” FTR0351.</p> <p>If EVC:SPEC_3 is populated and EVC:LREF_3 is not populated and ASR:REQTYP(1) is “S” and ASR:ACT is “N”, “C” or “R”, then error message, “SPEC_3 is prohibited when LREF_3 is not populated.” FTR0354.</p> <p>If EVC:SPEC_4 is populated and EVC:LREF_4 is not populated and ASR:REQTYP(1) is “S” and ASR:ACT is “N”, “C” or “R”, then error message, “SPEC_4 is prohibited when LREF_2 is not populated.” FTR0357.</p>
FGA	NC	<p>If FGA:NC is "OBHC", "OBHD", "OBHE", "ODHC", "ODHD ", "ODHE", "OFHC", "OFHD", or "OFHE" and ASR:REQTYP(1) is</p>

## FRONTIER SPECIFIC ACCESS ORDER RULES

Form	Tag Name	Rule
		“A” and ASR:ACT is "N", and ASR:RPON field is not populated, then error message, “NC code entry is invalid when ACT is "N", RPON field is not populated and entry in ICSC field.” FTR0612
MSL	NC	<p>If MSL:NC(1) is “0” and ASR:ACT field is "N", "M", "T", "C", or "R" and ASR:REQTYP(1) is “S” or “E”, then error message, “NC field position 1 cannot be numeric zero (0) when the ACT field is "N", "M", "T", "C", or "R".” FTR3279</p> <p>Else, if positions 1-2 of MSL:NC is not “HC”, “HF”, “LX”, “LG”, “JI”, “LY”, “OB”, “OD”, or “OF”, and ASR:REQTYP = “SA” and ASR:SPEC = “UNBALL”, then error message, “If REQTYP = S and SPEC = UNBALL, pos 1-2 NC must = HC, HF, LX, LG, JI, LY, OB, OD, or OF (VZ North and South)” FTR6200</p>
RING	NC	<p>If RING:NC(1) is “0” and ASR:REQTYP(1) is “R” and ASR:ACT is “N”, “M”, “T”, “C”, or “R”, then error message, “NC field position 1 cannot be numeric zero (0) when the ACT field is "N", "M", "T", "C", or "R".” FTR3270</p> <p>If the RING:NC field is not "OBHC", "OBHD", "OBHE", "ODHC", "ODHD", "ODHE", "OFHC", "OFHD", or "OFHE" and ASR:ACT is "N", and the ASR:REQTYP(1) is “R”, and the ASR:RPON field is not populated, then error message, “NC code entry is invalid when ACT is "N", RPON field is not populated and entry in ICSC field.” FTR6613</p>
	NCI	If RING:NCI(3) is not "Q" and the 9th position of the ASR:ACTL field is "H", and the 10th position of the ASR:ACTL field is "alpha" character, the ASR:REQTYP(1) is "R", and the ASR:ACT field is "N", "C", then error message, “NCI valid entry in the 3rd character is "Q", when the position 9 of ACTL is "H" and 10th position of ACTL is "alpha” FTR1342
TRANSPORT	NC	<p>If the TRANS:NC is not "KDA-", "KDE-", "KEA-", "KEE-", "KFE-", "KFL-", "KDAP", "KDEP", "KEAP", "KEEP", "KFEP", or "KFLP", and the ASR:REQTYP(1) is "S" or "V", ASR:SPEC is "LANVCX", "CSMVRX", "TLSEMCC", "TLSERP", "TLSERC", "TLSERPC", "TLSERCC", "TLSERSS", "TLSEMSR", "ERSPT", "ERSPTC", "ERSPTM", or "ERSPTMC" and the ASR:ACT is "N", "C", "R", or "D", then error message, “NC valid entries are "KDA-", "KDE-", "KEA-", "KEE-", "KFE-", "KFL-", "KDAP", "KDEP", "KEAP", "KEEP", "KFEP", or "KFLP" for TLS Service requested.” FTR0386</p> <p>Else, if TRANS:NC(1) is “0” and the ASR:ACT is "N", "M", "T", "C", or "R” and ASR:REQTYP(1) is “S” or “V”, then error message, “NC field position 1 cannot be numeric zero (0) when the ACT field is "N", "M", "T", "C", or "R”. FTR4378</p> <p>Else if TRANS:NC = "KRPL" and ASR:SPEC field is "BODORC" and ASR:REQTYP(1) is “S” and ASR:ACT is “N”, then error</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>message, "NC entry of "KRPL" is invalid when the SPEC field is "BODORC". FTR0529</p> <p>Else, if TRANS:NC is "KRSY", "KRSZ", "KRSF", "KRSI", "KRS0", "KRPL", "KRSL", "KRPU", or "KFL-" and ASR: SPEC field is "BODFAC" and ASR:REQTYP(1) is "S" and ASR:ACT is "N", then error message, "NC entry is invalid when the ACT field is "N" and the SPEC field is "BODFAC". FTR0570</p> <p>If the TRANS:NC field is "HCF-" and "HCG-" and the 1st five characters of the ASR:PROJECT field are "SPUNE" and ASR:REQTYP(1) is "S" and ASR:ACT is "N" or "D", then error message, "NC of "HCF-" or "HCG-" must be converted to an ANSI NC/NCI prior to the SPUNE conversion." FTR3638.</p> <p>If the TRANS:NC(1) is "O" or "K" and the first 5 characters of the ASR:PROJECT field are "SPUNE" and ASR:REQTYP(1) is "S" and ASR:ACT is "N" or "D", then error message, "NC 1st position entry of "O" or "K" is invalid for SPUNE. SONET circuits are not eligible for SPUNE conversion.." FTD3639</p> <p>If the TRANS:NC(3) is "H" and the 1st five characters of the ASR:PROJECT field are "SPUNE" and the ASR:REQTYP(1) is "S" and ASR:ACT is "N" or "D", then error message, "NC 3rd position entry of "H" is invalid for the SPUNE process. SONET circuits are not eligible for SPUNE conversion." FTR3643</p> <p>If the TRANS:NC is ""HCE6", "HFE6", or "HFC6" and the 1st five characters of the ASR:PROJECT field are "SPUNE" and ASR:REQTYP(1) is "S" and ASR:ACT is "N" or "D", then error message, "NC entry of "HCE6", "HFE6", or "HFC6" is invalid for the SPUNE process. Alternate SWC/Diversity is not eligible for SPUNE conversion." FTR3643</p> <p>If the TRANS:NC is "HCC-" and the 1st five characters of the ASR:PROJECT field are "SPUNE", and ASR:REQTYP(1) is "S" and ASR:ACT is "N" or "D", then error message, "NC entry of "HCC-" is invalid for the SPUNE process. Centrex circuits are not eligible for SPUNE conversion." FTR3869</p> <p>If the TRANS:NC is "XH-R", "HCER", "HCEO", "HXFF", "HFCD", "HFCE", "HXFB", "HXFD", "HXFH", "HXFL" and the 1st five characters of the ASR:PROJECT field are "SPUNE" and the and ASR:REQTYP(1) is "S" and ASR:ACT is "N" or "D", then error message, "NC entry is invalid for the SPUNE process. Frame Relay is not eligible for SPUNE conversion." FTR4137</p> <p>If the TRANS:NC is "JI-" or "JIAA" and the 1st five characters of</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>the ASR:PROJECT field are "SPUNE" and the ASR:REQTYP(1) is "S" and ASR:ACT is "N" or "D", then error message, "NC entry is invalid for the SPUNE process. STS circuits are not eligible for SPUNE conversion." FTR4137</p>
	NCI	<p>If TRANS:NCI is not "04LN9.10T", "04LN9.1CT", "02LNF.A02" or "02LNF.A04" and TRANS: NC is "KDA-", "KDE-", "KEA-", "KEE-", "KFE-", "KFL-", "KDAP", "KDEP", "KEAP", "KEEP", "KFEP", or "KFLP", and ASR:SPEC is "LANVCX", "CSMVRX", "TLSEMCC", "TLSERP", "TLSERC", "TLSERPC", "TLSERCC", "TLSERSS", "TLSEMSR", "ERSPT", "ERSPTC", "ERSPTM", or "ERSPTMC" and ASR:REQTYP(1) is "S" or "V" and ASR:ACT is "N", "C" or "R", then error message, "NCI must be "04LN9.10T", "04LN9.1CT", "02LNF.A02" or "02LNF.A04" for TLS Service requested." FTR0105</p> <p>Else, if TRANS:NCI is not "02LNF.A02" and ASR:SPEC field is "ERSNPA" and ASR:REQTYP(1) is "S" and ASR:ACT is "C", "N" or "R", then error message, "NCI entry must be 02LNF.A02 when the SPEC field is "ERSNPA". FTR0582</p> <p>Else, if TRANS:NCI is not "02CXF.1GE" or "02QBF.K02" and TRANS:NC is "SNH1" and ASR:SPEC is blank and ASR:REQTYP(1) is "S" and ASR:ACT is "N", "C" or "R", then error message, "NCI valid entry is "02CXF.1GE" or "02QBF.K02" when the NC is "SNH1" and the SPEC is blank." FTR0390</p> <p>Else, if positions 1-2 of TRANS:NCI are not "02" and TRANS:NC is "KGL-", "KGW-", "OF-Z", "OG-Z", or "OH-R", and ASR:SPEC is "OWSP1", and the ASR: REQTYP(1) is "S", and ASR:ACT is "N", "C", "M", "R", or "T", then error message, "NCI positions 1-2 valid entry is "02" when NC is "KGL-", "KGW-", "OF-Z", "OG-Z", or "OH-R", the SPEC is "OWSP1"." FTR0714</p> <p>Else, if positions 1-2 of TRANS:NCI are not "02" and TRANS:NC is "OK-C", and ASR:SPEC is "OWSP1", and ASR:REQTYP(1) is "S", and ASR:ACT is "N", "C", "M", "R", or "T", then error message, "NCI positions 1-2 valid entry is "02" when NC is "OK-C", the SPEC is "OWSP1"." FTR0715</p> <p>Else, if positions 1-2 of the TRANS:NCI are not "04" and TRANS:NC is "OKTC", and ASR:SPEC is "OWSP1", and ASR:REQTYP(1) is "S", and ASR:ACT is "N", "C", "M", "R", or "T", then error message, "NCI positions 1-2 valid entry is "04" when NC is "OKTC", the SPEC is "OWSP1" FTR0716</p> <p>Else, if positions 1-5 of TRANS:NCI are "02SOF" and ASR:SPEC is "BODFAC", and position 1-2 of TRANS:NC are "JI", "HF", "OB", or "OD", and the TRANS:CFA, any ICFA</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>(when NAI form present), or TTRANS:SCFA are populated, and ASR:REQTYP(1) is “S” and ASR:ACT is “C”, “M”, “N” or “T”, then error message, “NCI of 02SOF is not valid when ordering BODFAC to a Stub Hub.” FTR0530</p> <p>Else, if TRANS:NCI(9) is not ”A”, “B”, “C” or “I” or if positions 1 – 5 are not "04SOF" and the ASR:REQTYP(1) is ‘S’, and the ASR:SPEC is not "UNB***" or “SONCUS”, and the TRANS:NC field is “HFC-“ and the ASR:ACT is “C”, “N”, “M”, “T”, “R” or “D”, then error message, “NCI entry invalid because of entries in the ICSC, REQTYP, SPEC, and NC fields.” FTR4380</p> <p>Else, if positions 1-5 of TRANS:NCI are not “04SOF” or position 9 is not “A”, “B”, “C” or “I”, and ASR:REQTYP(1) is S, and pos 1-3 of ASR:SPEC are not “UNB” or positions 1-5 of ASR:SPEC are not “SONCUS” and TRANS:NC is “ HFC-“, and ASR:ACT is “N”, “C” or “T”, then error message, “If REQTYP=S, pos 1-3 of SPEC not=UNB or not=SONCUS and NC=HFC- then NCI pos 9 must =A, B, C or I or pos 1-5 must be 04SOF (VZ South only)” FTR5684</p> <p>Else, if the TRANS:NCI(3) is not Q and the TRANS:CCEA field is populated, and the ASR:REQTYP(1) is “S” and the ASR:ACT is “N”, then error message, “Valid entry for the 3rd position of NCI is Q, when the CCEA field is populated (Collocation).” FTR0128</p> <p>Else, if TRANS:NCI(3) is not Q and the ASR:ACTL(9) is “H”, and the ASR:REQTYP(1) is “S” and the ASR:ACT is “N”, then error message, NCI position 3 must be Q when ACTL is Collocated.” FTR0129</p>
	CFA	<p>If  the ASR.ADMIN.ICSC is equal to values RT01, CT99, CZ02, CU03  and the 1 position of ASR:ADMIN:REQTYP field is equal to values S,V  and the ASR:ADMIN:ACT is equal to values N,M,T,C  and it is not true that the ASR:ADMIN:PROJECT is compared with its position 1 to 6 with values SPUNE1  and the ASR:ADMIN:ACTL is populated  and the TRANSPORT:CFA is populated  and it is not true that the pos 1 to 8 of the field TRANSPORT:CFA with specified segment 4 is equal to the pos 1 to 8 of another field ASR:ADMIN:ACTL  and it is not true that the pos 1 to 8 of the field TRANSPORT:CFA with specified segment 5 is equal to the pos 1 to 8 of another field ASR:ADMIN:ACTL  Then</p>

## FRONTIER SPECIFIC ACCESS ORDER RULES

Form	Tag Name	Rule
		<p>error message, “THE FIRST 8 POSITIONS OF THE ‘A’ LOCATION OR THE ‘Z’ LOCATION OF THE TRANS:CFA FIELD MUST MATCH THE FIRST 8 POSITIONS OF THE ASR:ACTL FIELD WHEN THE ASR:RQTYP(1) FIELD IS ‘S’ OR ‘V’, THE ASR:ACT FIELD IS ‘N’, ‘M’, ‘T’ OR ‘C’ AND THE FIRST 6 POSITIONS OF THE ASR:PROJECT FIELD ARE NOT ‘SPUNE1’”. FTR6249</p>
	MUXLOC	<p>If            position 1 of ASR:ADMIN:REQTYP field is equal to values S,V            and the TRANSPORT:MUXLOC is populated            and the TRANSPORT:CFA is not populated            Then            error message, “THE TRANS:MUXLOC FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS ‘S’ OR ‘V’ AND THE TRANS:CFA FIELD IS NOT POPULATED.” FTR6246</p>
TRUNKING	NC	<p>If TRUNK:NC(1) is “0” and ASR: ACT field is "N", "M", "T", "C", or "R" and ASR:REQTYP(1) is “M” or “L”, then error message, “NC field position 1 cannot be numeric zero (0) when the ACT field is "N", "M", "T", "C", or "R".” FTR6571</p> <p>Else, if TRUNK:NC is "OBHC", "OBHD", "OBHE", "ODHC", "ODHD ", "ODHE", "OFHC", "OFHD", or "OFHE" and ASR:ACT is "N", and ASR:RPON field is not populated and ASR:REQTYP(1) is “M”, then error message, “NC code entry is invalid when ACT is "N", RPON field is not populated and entry in ICSC field.” FTR6615</p>
	NC1	<p>If TRUNKNC1 field is not populated and ASR:UNE is populated and ASR:LTP(1) is “N” ad ASR:ACT is “N” and ASR:REQTYP(1) is “M”, then error message, “NC1 required when UNE is populated, position 1 of LTP on ASR Form = N and ACT on ASR = N” FTR6614</p> <p>Else, if TRUNK:NC1 is not populated and ASR:UNE is not populated and ASR:LTP(1) is “B”, “C”, “D”, “E”, “L” or “M” and ASR:ACT is “N” and ASR:REQTYP(1) is “M”, then error message, “NC1 required when UNE is not populated, position 1 of LTP on ASR Form = B, C, D, E, L, or M and ACT on ASR = N” FTR6613</p>
	NCI	<p>Else, if positions 1-2 of TRUNK:NCI are not numeric, and ASR:REQTYP(1) is “M” or “L” and ASR:ACT is “N”, “C”, “D” or “R”, then error message, ” NCI valid entries for characters 1 and 2 are numeric.” FTR4638</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>Else, if positions 3-4 of TRUNK:NCI are not alpha and ASR:ACT is "N", "C", "D" or "R" and ASR:REQTYP(1) is "M" or "L", then error message, "NCI valid entries for characters 3 and 4 are alpha." FTR4639</p> <p>Else, if TRUNK:NCI(3) is not "Q" and ASR:REQTYP(1) field is "M", and the ASR:ACT field is "N" or "C", and the TRUNK:FACTL(9) is "H", and the ASR:SPEC is not "OFNMSF", then error message, "NCI position 3 valid value is "Q" when 1st position of REQTYP is "M", ACT is "N" or "C", FACTL position 9 is "H", for the entry in the ICSC field." FTR0403</p> <p>Else, if TRUNK:NCI(3) is not "Q" and TRUNK:CCEA is populated, and ASR:REQTYP(1) is "M" or "L" and ASR:ACT is "N", "C", "R" or "D", then error message, "If ICSC Field is not "GT10", "GT11", "GT12" or "VW01" and the CCEA field is populated then required entry for 3rd position of NCI Field is "Q" FTR4643</p> <p>Else, if positions 1-3 of TRUNK:NCI are not "QB" and ASR:REQTYP(1) is "M", the ASR:ACT is "N", "M", "T", "C", or "R", the TRUNK:NC1 is "HCED", "HC-D", "HC-M", or "HCEM", and the ASR:ACTL(9) is "H", and the ASR:ACTL(1) is alpha, then error message, "NCI positions 3-4 is "QB" when the NC1 is "HCED", "HC-D", "HC-M", or "HCEM", the 9th position of the ACTL is "H", and the 10th position is alpha." FTR6553</p>
	RECCKT	<p>If the TRUNK:RECCKT_1 field is not populated and the ASR:REQTYP(1) is "M" and ASR:ACT is "D" and the ASR:LTP is "B", "C", "D", "E", "L" or "M", then error message, "RECCKT_1 required when the 1st character of the REQTYP field is "M", the ACT field is "D", and the LTP field is "B", "C", "D", "E", "L", or "M." FTR0151</p>
	MUXLOC	<p>If  the TRUNK_SVC_DETAILS:MUXLOC is not populated  and position 1 of ASR:ADMIN:REQTYP is equal to M  and the ASR:ADMIN:ACT is equal to values N,C,R  and the TRUNK_SVC_DETAILS:CFA is populated  Then  error message, "THE TRUNK:MUXLOC FIELD IS  REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'M',  THE ASR:ACT FIELD IS 'N', 'C' OR 'R' AND THE  TRUNK:CFA FIELD IS POPULATED".FTR6248</p>
Multi-EC	ICSC	<p>If the entry in each occurrence of the OEC_ICSC is not unique, then error message, "Entry in each occurrence of the OEC_ICSC must be unique." FTR1240.</p>

**FRONTIER SPECIFIC ACCESS ORDER RULES**

Form	Tag Name	Rule
		<p>If the ASR:ASC_EC field is not AU01, BT02, CA03, CI24, CI38, CI42, CI60, CI63, CI75, CT99, CU03, CZ02, CZ05, EN01, HT05, IA04, IA07, IA13, IA14, IA16, IB37, IB79, IB94, ID35, ID60, IS14, IS36, IS88, IW29, LR01, MR01, OR03, OT01, RT01, SG01, SL01, SL02, ST03, VI10, VI20, CI08, FV01, and no occurrence of the Multi-EC:OEC_ICSC is AU01, BT02, CA03, CI24, CI38, CI42, CI60, CI63, CI75, CT99, CU03, CZ02, CZ05, EN01, HT05, IA04, IA07, IA13, IA14, IA16, IB37, IB79, IB94, ID35, ID60, IS14, IS36, IS88, IW29, LR01, MR01, OR03, OT01, RT01, SG01, SL01, SL02, ST03, VI10, VI20, CI08, FV01, then error message, “If the ASC_EC field is not a Frontier ICSC code then one occurrence of the OEC_ICSC must be a Frontier ICSC code.” FTR0050</p> <p>If an entry in an occurrence of the Multi-EC:OEC_ICSC field matches an entry in the Multi-EC: ASC_ICSC field, then error message, Entry in each occurrence of the OEC_ICSC field cannot match the entry in the ASC_ICSC field.” FTR7113</p>
TQ	TSC	<p>If  position 1 of ASR:ADMIN:REQTYP is equal to M  and the ASR:ADMIN:ACT is equal to values N,C,R  and the  TQ:COMMON_MATRIX:COMMON_MATRIX_ROW:TSC is populated  and the  TQ:COMMON_MATRIX:COMMON_MATRIX_ROW:TSC not equals ASR:ADMIN:TSC  Then  the generate error message, “WHEN THE ASR:RQTYP(1) FIELD IS ‘M’, AND THE ASR:ACT FIELD IS ‘N’, ‘C’ OR ‘R’, THEN THE TQ:TGTSC FIELD MUST MATCH THE ASR:TSC FIELD”. FTR6245</p>