



FRONTIER 9.18
DDPS FORM
VER 1.0

081. DID/DOD/PBX Service Form (DDPS)

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
ADMIN SECTION{							
001	PON - Purchase Order Number	Do Not Map				NOT SUPPORTED BY FTR	
002	VER - Version Identification	Do Not Map				NOT SUPPORTED BY FTR	
003	AN - Account Number	Do Not Map				NOT SUPPORTED BY FTR	
004	ATN - Account Telephone Number	Do Not Map				NOT SUPPORTED BY FTR	
005	ORD - Order Number	Do Not Map				NOT SUPPORTED BY FTR	
006	PG_of_ - Page _ of _	Do Not Map				NOT SUPPORTED BY FTR	
007a	COMMQ - Common Group Quantity	Frontier Specific Field	N	2-2	01-99	1. If not populated and LSR.ACT = N, C, V, T, then return error: FTRDDPS001 COMMQ IS REQUIRED FOR ACT 2. If populated and (dl ≠ 2 or dc ≠ numeric), then return error: FTRDDPS002 COMMQ VALID VALUE = 2 NUMERIC	O
}							
COMMON SECTION{							
COMM DETAIL GROUP SECTION{							
007	LOCNUM – Location Number		N	1-3		1. If not populated, then return error: FTRDDPS003 LOCNUM IS REQUIRED 2. If populated and (dl > 3 or dc ≠ numeric), then return error: FTRDDPS004 LOCNUM VALID VALUE = 1-3 NUMERIC	R

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
008	RNUM – Reference Number		N	1-4		<p>1. If not populated and COMMQ is populated, then return error: FTRDDPS005 RNUM IS REQUIRED WHEN COMMQ IS POPULATED</p> <p>2. If populated and COMMQ is not populated, then return error: FTRDDPS006 RNUM IS PROHIBITED WHEN COMMQ IS NOT POPULATED</p> <p>3. If populated and (dl > 4 or dc ≠ numeric), then return error: FTRDDPS007 RNUM VALID VALUE = 1-4 NUMERIC</p>	O
009	AD – Associated Detail		A	1-1	A, B, C	<p>1. If not populated and COMMQ is populated, then return error: FTRDDPS008 AD IS REQUIRED WHEN COMMQ IS POPULATED</p> <p>2. If populated and vv ≠ A, B, C, then return error: FTRDDPS009 AD VALID VALUE = A, B, C</p>	O
009a	TNSGQ – TNS Group Quantity	Frontier Specific Field	N	2-2	01-99	<p>1. If not populated and AD = A, C, then return error: FTRDDPS010 TNSGQ IS REQUIRED FOR AD</p> <p>2. If populated and AD ≠ A, C, then return error: FTRDDPS011 TNSGQ IS PROHIBITED FOR AD</p> <p>3. If populated and (dl ≠ 2 or dc ≠ numeric), then return error: FTRDDPS012 TNSGQ VALID VALUE = 2 NUMERIC</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
009b	TKGQ – Trunk Group Quantity	Frontier Specific Field	N	2-2	01-99	<p>1. If not populated and AD = B, C, then return error: FTRDDPS013 TKGQ IS REQUIRED FOR AD</p> <p>2. If populated and AD ≠ B, C, then return error: FTRDDPS014 TKGQ IS PROHIBITED FOR AD</p> <p>3. If populated and (dl ≠ 2 or dc ≠ numeric), then return error: FTRDDPS015 TKGQ VALID VALUE = 2 NUMERIC</p>	O
010	NPI – Number Portability Indicator		A	1-1	C, E, F	<p>1. If not populated and LSR.NPDI = B, D, then return error: FTRDDPS016 NPI IS REQUIRED FOR NPDI</p> <p>2. If populated and LSR.NPDI ≠ B, D, then return error: FTRDDPS017 NPI IS PROHIBITED FOR NPDI</p> <p>3. If populated and vv ≠ E and LSR.NPDI = B, then return error: FTRDDPS018 NPI VALID VALUE = E FOR NPDI</p> <p>4. If populated and vv ≠ C, E, F, then return error: FTRDDPS019 NPI VALID VALUE = C, E, F</p>	O
078	LOCNUM - Location Number	Do Not Map				NOT SUPPORTED BY FTR	
079	RNUM - Reference Number	Do Not Map				NOT SUPPORTED BY FTR	
080	TC OPT - Transfer of Call Options		A	1-1	N, S, T	1. If not populated and TNA = D, X, then return error: FTRDDPS020 TC	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						OPT IS REQUIRED FOR TNA 2. If populated and TNA ≠ D, X, then return error: FTRDDPS021 TC OPT IS PROHIBITED FOR TNA 3. If populated and vv ≠ N, S, T, then return error: FTRDDPS022 TC OPT VALID VALUE = N, S, T	
TC TO SECTION{							
081	TC TO PRI - Transfer of Calls To Primary Number		N	10-10		1. If not populated and TC OPT = S, T, then return error: FTRDDPS023 TC TO PRI IS REQUIRED FOR TC OPT 2. If populated and TC OPT ≠ S, T, then return error: FTRDDPS024 TC TO PRI IS PROHIBITED FOR TC OPT 3. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRDDPS025 TC TO PRI VALID VALUE = 10 NUMERIC	O
084	TCID - Transfer of Calls To Identifier		N	1-2		1. If not populated and TC OPT = T, then return error: FTRDDPS026 TCID IS REQUIRED FOR TC OPT 2. If populated and TC OPT ≠ T, then return error: FTRDDPS027 TCID IS PROHIBITED FOR TC OPT 3. If populated and (dl > 2 or dc ≠ numeric), then return error: FTRDDPS028 TCID VALID VALUE = 1-2 NUMERIC	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
085	TC NAME - Transfer of Calls To Name		A/N Apostrophe, Comma, Hyphen, Period, Space	1-35		<p>1. If not populated and TC OPT = T, then return error: FTRDDPS029 TC NAME IS REQUIRED FOR TC OPT</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRDDPS030 TC NAME IS PROHIBITED FOR TC OPT</p> <p>2. If populated and (dl > 35 or dc ≠ alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: FTRDDPS031 TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE</p>	O
082	TC TO SEC - Transfer of Calls To Secondary Number		N	10-10		<p>1. If not populated and TC OPT = T, then return error: FTRDDPS032 TC TO SEC IS REQUIRED FOR TC OPT</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRDDPS033 TC TO SEC IS PROHIBITED FOR TC OPT</p> <p>3. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRDDPS034 TC TO SEC VALID VALUE = 10 NUMERIC</p>	O
084a	TCID 2 - Transfer of Calls To Identifier 2	Frontier Specific Field	N	1-2		<p>1. If not populated and TC OPT = T, then return error: FTRDDPS035 TCID 2 IS REQUIRED FOR TC OPT</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRDDPS036 TCID 2 IS PROHIBITED FOR TC OPT</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. If populated and (dl > 2 or dc ≠ numeric), then return error: FTRDDPS037 TCID 2 VALID VALUE = 1-2 NUMERIC	
085a	TC NAME 2 - Transfer of Calls To Name 2	Frontier Specific Field	A/N Apostrophe, Comma, Hyphen, Period, Space	1-35		<p>1. If not populated and TC OPT = T, then return error: FTRDDPS038 TC NAME 2 IS REQUIRED FOR TC OPT</p> <p>2. If populated and TC OPT ≠ T, then return error: FTRDDPS039 TC NAME 2 IS PROHIBITED FOR TC OPT</p> <p>2. If populated and (dl > 35 or dc ≠ alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: FTRDDPS040 TC NAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE</p>	O
}							
083	TC PER - Transfer of Calls Period		N	8-8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	<p>1. If populated and TC TO PRI is not populated, then return error: FTRDDPS041 TC PER IS PROHIBITED</p> <p>2. If populated and vv ≤ LSR.DDD, then return error: FTRDDPS042 TC PER MUST BE GREATER THAN DDD</p> <p>3. If populated and format ≠ CCYYMMDD, then return error:</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						FTRDDPS043 TC PER VALID FORMAT = CCYYMMDD	
}							
011	LEAN - Line Existing Account Number	Do Not Map				NOT SUPPORTED BY FTR	
012	LEATN - Line Existing Account Telephone Number	Do Not Map				NOT SUPPORTED BY FTR	
013	BSPRAO - Billing Service Provider Revenue Accounting Office Code	Do Not Map				NOT SUPPORTED BY FTR	
DID DOD TELEPHONE NUMER SECTION{							
014	LOCNUM - Location Number	Do Not Map				NOT SUPPORTED BY FTR	
015	RNUM - Reference Number		N	1-4		1. If not populated and AD = A, C, then return error: FTRDDPS044 RNUM IS REQUIRED FOR AD 2. If populated and AD ≠ A, C, then return error: FTRDDPS045 RNUM IS PROHIBITED FOR AD 3. If populated and (dl > 4 or dc ≠ numeric), then return error: FTRDDPS046 RNUM VALID VALUE = 1-4 NUMERIC	O
016	TNA - Telephone Number Activity		A	1-1	C, D, N, V, W, X	1. If not populated and AD = A, C, then return error: FTRDDPS047 TNA IS	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						REQUIRED FOR AD 2. If populated and AD ≠ A, C, then return error: FTRDDPS048 TNA IS PROHIBITED FOR AD 3. If populated and vv ≠ C, N, D, X and LSR.ACT = C, then return error: FTRDDPS049 TNA VALID VALUE = C, N, D, X FOR ACT 4. If populated and vv ≠ N and LSR.ACT = N, T, then return error: FTRDDPS050 TNA VALID VALUE = N FOR ACT 5. If populated and vv ≠ D and LSR.ACT = D, then return error: FTRDDPS051 TNA VALID VALUE = D FOR ACT 6. If populated and vv ≠ N, V, D and LSR.ACT = V, then return error: FTRDDPS052 TNA VALID VALUE = N, V, D FOR ACT 7. If populated and vv ≠ C, D, N, V, W, X, then return error: FTRDDPS053 TNA VALID VALUE = C, D, N, V, W, X	
017	QN - Quantity of Numbers		N	1-4	1-9999	1. If not populated and TNA is populated, then return error: FTRDDPS054 QN IS REQUIRED WHEN TNA IS POPULATED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>2. If populated and TNA is not populated, then return error: FTRDDPS055 QN IS PROHIBITED WHEN TNA IS NOT POPULATED</p> <p>3. If populated and (dl > 4 or dc ≠ numeric), then return error: FTRDDPS056 QN VALID VALUE = 1-4 NUMERIC</p>	
018	CKR - Customer Circuit Reference		A/N Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule	1-41		<p>1. If populated and dc = virgule and (preceding position ≠ numeric or following position ≠ numeric), then return error: FTRDDPS057 CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC</p> <p>2. If populated and (dl > 41 or dc ≠ alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: FTRDDPS058 CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p>	O
019	TNS - Telephone Numbers		A/N Hyphen, Space, Semi	1-15		<p>1. If not populated and TNA is populated, then return error: FTRDDPS059 TNS IS REQUIRED</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			Colon, Comma			WHEN TNA IS POPULATED 2. If populated and TNA is not populated, then return error: FTRDDPS060 TNS IS PROHIBITED WHEN TNA IS NOT POPULATED 3. If populated and (dl > 15 or dc ≠ alpha, numeric, hyphen, space, semi colon, comma), then return error: FTRDDPS061 TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA	
OUT TELEPHONE NUMER SECTION{							
020	OTNS - Out Telephone Numbers		A/N Hyphen, Space, Semi Colon, Comma	1-15		1. If not populated and TNA = X, then return error: FTRDDPS062 OTNS IS REQUIRED FOR TNA 2. If populated and TNA ≠ X, T, then return error: FTRDDPS063 OTNS IS PROHIBITED FOR TNA 3. If populated and (dl > 15 or dc ≠ alpha, numeric, hyphen, space, semi colon, comma), then return error: FTRDDPS064 OTNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA	O
}							
021	DA - Disassociated Telephone Number Action	Do Not Map				NOT SUPPORTED BY FTR	
022	DSTNQ - Disassociated	Do Not Map				NOT SUPPORTED BY FTR	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
	Telephone Number Quantity						
023	DTNT - Disassociated Telephone Number Type	Do Not Map				NOT SUPPORTED BY FTR	
024	DSTN - Disassociated Telephone Number	Do Not Map				NOT SUPPORTED BY FTR	
025	ECCKT - Exchange Company Circuit ID	Do Not Map				NOT SUPPORTED BY FTR	
026	TGN - Trunk Group Number		N	3-4		1. If populated and (dl ≠ 3, 4 or dc ≠ numeric), then return error: FTRDDPS065 TGN VALID VALUE = 3-4 NUMERIC	O
027	RIN - Route Index Number		N	3-10		1. If populated and ((dl < 3 or > 10) or (dc ≠ numeric)), then return error: FTRDDPS066 RIN VALID VALUE = 3-10 NUMERIC	O
BLOCKING{							
028	BA - Blocking Activity		A	1-1	A, D, E, N	1. If populated and vv ≠ A and TNA = N, then return error: FTRDDPS067 BA VALID VALUE = A FOR TNA 2. If populated and vv ≠ A, D, E, N, then return error: FTRDDPS068 BA VALID VALUE = A, D, E, N	O
029	BLOCK - Block		A/N	1-16		1. If not populated and BA = A, D, E, then return error: FTRDDPS069 BLOCK IS REQUIRED FOR BA 2. If populated and BA ≠ A, D, E, then return error: FTRDDPS070 BLOCK IS PROHIBITED FOR BA	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						3. If populated and (dl > 16 or vv ≠ alpha, numeric), then return error: FTRDDPS071 BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC	
}							
030	CCEA - Cross Connect Equipment Assignment	Do Not Map				NOT SUPPORTED BY FTR	
FEATURES{							
030a	FA - Feature Activity	Frontier Specific Field	A	1-1	N, C, D, V	<p>1. If populated and TNA ≠ N, C, V, then return error: FTRDDPS072 FA IS PROHIBITED FOR TNA</p> <p>2. If populated and vv ≠ N and TNA = N, then return error: FTRDDPS073 FA VALID VALUE = N FOR TNA</p> <p>3. If populated and vv ≠ N, V and TNA = V, then return error: FTRDDPS074 FA VALID VALUE = N, V FOR TNA</p> <p>4. If populated and vv ≠ N, C, D and TNA = C, then return error: FTRDDPS075 FA VALID VALUE = N, C, D FOR TNA</p>	O
030b	FEATURE - Feature Codes	Frontier Specific Field	A/N	1-6		<p>1. If populated and FA is not populated, then return error: FTRDDPS076 FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED</p> <p>2. If not populated and FA is populated, then return error: FTRDDPS077 FEATURE IS REQUIRED WHEN FA IS</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						POPULATED 3. If populated and (dl > 6 or dc ≠ alpha, numeric), then return error: FTRDDPS078 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC	
030c	FEATURE DETAIL - Feature Detail	Frontier Specific Field	A/N Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parenthesis, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule	1-200		1. If populated and FEATURE is not populated, then return error: FTRDDPS079 FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED 2. If populated and (dl > 200 or dc ≠ alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon, space, virgule, then return error: FTRDDPS080 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE	O
}}							
TRUNK SERVICE DETAIL SECTION{							
031	LOCNUM - Location Number	Do Not Map				NOT SUPPORTED BY FTR	
032	RNUM - Reference Number		N	1-4		1. If not populated and AD = B, C, then return error: FTRDDPS081 RNUM IS	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						REQUIRED FOR AD 2. If populated and AD ≠ B, C, then return error: FTRDDPS082 RNUM IS PROHIBITED FOR AD 3. If populated and (dl > 4 or dc ≠ numeric), then return error: FTRDDPS083 RNUM VALID VALUE = 1-4 NUMERIC	
033	TACT - Trunk Activity		A	1-1	C, D, N, P, V, W, X	1. If not populated and AD = B, C, then return error: FTRDDPS084 TACT IS REQUIRED FOR AD 2. If populated and AD ≠ B, C, then return error: FTRDDPS085 TACT IS PROHIBITED FOR AD 3. If populated and vv ≠ C, N, D, P, X and LSR.ACT = C, then return error: FTRDDPS086 TACT VALID VALUE = C, N, D, P, X FOR ACT 4. If populated and vv ≠ N and LSR.ACT = N, T, then return error: FTRDDPS087 TACT VALID VALUE = N FOR ACT 5. If populated and vv ≠ D and LSR.ACT = D, then return error: FTRDDPS088 TACT VALID VALUE = D FOR ACT 6. If populated and vv ≠ N, V, D and	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>LSR.ACT = V, then return error: FTRDDPS089 TACT VALID VALUE = N, V, D FOR ACT</p> <p>7. If populated and vv ≠ C, D, N, P, V, W, X, then return error: FTRDDPS090 TACT VALID VALUE = C, D, N, P, V, W, X</p>	
034	TERS - Terminal Numbers		A/N Hyphen, Space, Semi Colon, Comma	1-10		<p>1. If populated and (dl > 10 or dc ≠ alpha, numeric, hyphen, space, semi colon, comma), then return error: FTRDDPS091 TERS VALID VALUE = 1-10 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA</p>	O
035	TKQ - Trunk Quantity		N	1-4		<p>1. If not populated and TACT is populated, then return error: FTRDDPS092 TKQ IS REQUIRED WHEN TACT IS POPULATED</p> <p>2. If populated and TACT is not populated, then return error: FTRDDPS093 TKQ IS PROHIBITED WHEN TACT IS NOT POPULATED</p> <p>3. If populated and (dl > 4 or dc ≠ numeric), then return error: FTRDDPS094 TKQ VALID VALUE = 1-4 NUMERIC</p>	O
TELEPHONE NUMERS{							
036	TNS - Telephone Numbers		A/N Hyphen, Space, Semi Colon, Comma	1-15		<p>1. If not populated and TTP = A, C, D and LTLI is not populated, then return error: FTRDDPS095 TNS IS REQUIRED FOR TTP</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>2. If populated and TTP = B, E, F, then return error: FTRDDPS096 TNS IS PROHIBITED FOR TTP</p> <p>3. If populated and (dl > 15 or dc ≠ alpha, numeric, hyphen, space, semi colon, comma), then return error: FTRDDPS097 TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA</p>	
}							
TELECOMMUNICATIONS SERVICE PRIORITY{							
036a	TSP - Telecommunication Service Priority	Frontier Specific Field	A/N Hyphen	12-12	Format = XXXXXXXXXX-XX (Note - X = alpha/numeric)	<p>1. If populated and format ≠ XXXXXXXXXX-XX, then return error: FTRDDPS098 TSP VALID FORMAT = XXXXXXXXXX-XX</p> <p>2. If populated and position 11 ≠ E, 0, 1, 2, 3, 4, 5, then return error: FTRDDPS099 TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5</p> <p>3. If populated and position 12 ≠ 0, 1, 2, 3, 4, 5, then return error: FTRDDPS100 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5</p>	O
}							
OUT TELEPHONE NUMBERS{							
037	OTN - Out Telephone Number		N	10-10		<p>1. If not populated and TACT = X, then return error: FTRDDPS101 OTN IS REQUIRED FOR TACT</p> <p>2. If populated and TACT ≠ X, then return error: FTRDDPS102 OTN IS</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						PROHIBITED FOR TACT 3. If populated and (dl ≠ 10 or dc ≠ numeric), then return error: FTRDDPS103 OTN VALID VALUE = 10 NUMERIC	
}							
038	LTLI - Lead Telephone Line Identifier		A	1, 10		1. If not populated and TTP = B, E, F and TNS is not populated, then return error: FTRDDPS104 LTLI IS REQUIRED FOR TTP 2. If populated and vv ≠ N and (dl ≠ 10 or dc ≠ numeric), then return error: FTRDDPS105 LTLI VALID VALUE = N OR 10 NUMERIC	O
039	TGN - Trunk Group Number		N	3-4		1. If populated and (dl ≠ 3, 4 or dc ≠ numeric), then return error: FTRDDPS106 TGN VALID VALUE = 3-4 NUMERIC	O
040	RIN - Route Index Number		N	3-10		1. If populated and ((dl < 3 or > 10) or (dc ≠ numeric)), then return error: FTRDDPS107 RIN VALID VALUE = 3-10 NUMERIC	O
041	TKID - Trunk ID		A/N	1-10		1. If populated and dl > 10, then return error: FTRDDPS108 TKIND VALID LENGTH = 1-10	O
042	DIN - Digits In	Do Not Map				NOT SUPPORTED BY FTR	
043	DO - Digits Out		N	2-2	00-99	1. If populated and TACT is not populated, then return error: FTRDDPS109 DO IS PROHIBITED WHEN TACT IS NOT POPULATED 2. If populated and (dl ≠ 2 or dc ≠	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						numeric), then return error: FTRDDPS110 DO VALID VALUE = 2 NUMERIC	
044	PULSE - Type of Pulsing		A	2 or 4	DP, MF, DTMF	1. If not populated and TACT = N, V and TTP = B, then return error: FTRDDPS111 PULSE IS REQUIRED FOR TTP 2. If populated and vv ≠ DP, MF, DTMF, then return error: FTRDDPS112 PULSE VALID VALUE = DP, MF, DTMF	O
045	PO - Type of Pulsing Outward	Do Not Map				NOT SUPPORTED BY FTR	
046	SSIG - Start Signaling		A	2-2	LS, GS, WS, DD, IM	1. If not populated and TACT = N, V and TTP = C, D, E, F, then return error: FTRDDPS113 SSIG IS REQUIRED FOR TTP 2. If populated and vv ≠ LS, GS, WS, DD, IM, then return error: FTRDDPS114 SSIG VALID VALUE = LS, GS, WS, DD, IM	O
047	SGNL - Signaling	Do Not Map				NOT SUPPORTED BY FTR	
048	TTP - Trunk Type		A	1-1	A, B, C, D, E, F	1. If not populated and TACT is populated, then return error: FTRDDPS115 TTP IS REQUIRED WHEN TACT IS POPULATED 2. If populated and TACT is not populated, then return error: FTRDDPS116 TTP IS PROHIBITED WHEN TACT IS NOT POPULATED 3. If populated and vv ≠ A, B, C, D, E, F,	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						then return error: FTRDDPS117 TTP VALID VALUE = A, B, C, D, E, F	
049	GL - Glare	Do Not Map				NOT SUPPORTED BY FTR	
050	CABLE_ID - Cable Identification	Do Not Map				NOT SUPPORTED BY FTR	
051	CHAN/PAIR - Channel/Pair	Do Not Map				NOT SUPPORTED BY FTR	
BLOCKING{							
052	BA - Blocking Activity		A	1-1	A, D, E, N	1. If populated and vv ≠ A and TACT = N, then return error: FTRDDPS118 BA VALID VALUE = A FOR TACT 2. If populated and vv ≠ A, D, E, N, then return error: FTRDDPS119 BA VALID VALUE = A, D, E, N	O
053	BLOCK - Block		A/N	1-16		1. If not populated and BA = A, D, E, then return error: FTRDDPS120 BLOCK IS REQUIRED FOR BA 2. If populated and BA ≠ A, D, E, then return error: FTRDDPS121 BLOCK IS PROHIBITED FOR BA 3. If populated and (dl > 16 or vv ≠ alpha, numeric), then return error: FTRDDPS122 BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC	O
}							
054	LSCP - Local Service Provider Change Prohibited		A	1-1	A, B	1. If populated and LSR.P ≠ A and (LSR.P ≠ D or EU.STATE ≠ PA, NJ), then return error: FTRDDPS123 LSCP IS PROHIBITED FOR STATE 2. If populated and vv ≠ A, B, then	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						return error: FTRDDPS124 LSCP VALID VALUE = A, B	
INSIDE WIRING JACK{							
055	IWT - Inside Wire Type	Do Not Map				NOT SUPPORTED BY FTR	
056	IWJK - Inside Wire Jack Code		A/N	1-5		1. If populated and ((LSR.ACT ≠ C, N, T, V) or (LSR.P ≠ C) or (TACT ≠ N, V, C)), then return error: FTRDDPS125 IWJK IS PROHIBITED 2. If populated and (dl > 5 or dc ≠ alpha, numeric), then return error: FTRDDPS126 IWJK VALID VALUE = 1-5 ALPHA, NUMERIC	O
057	IWJQ - Inside Wire Jack Quantity		N	2-2	01-99	1. If not populated and IWJK is populated, then return error: FTRDDPS127 IWJQ IS REQUIRED WHEN IWJK IS POPULATED 2. If populated and IWJK is not populated, then return error: FTRDDPS128 IWJQ IS PROHIBITED WHEN IWJK IS NOT POPULATED 3. If populated and (dc ≠ 2 or dc ≠ numeric), then return error: FTRDDPS129 IWJQ VALID VALUE = 2 NUMERIC	O
058	JK CODE - Jack Code	Do Not Map				NOT SUPPORTED BY FTR	
059	JK NUM - Jack Number	Do Not Map				NOT SUPPORTED BY FTR	
060	JK POS - Jack Position	Do Not Map				NOT SUPPORTED BY FTR	

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
061	JR - Jack Request	Do Not Map				NOT SUPPORTED BY FTR	
}							
062	NIDR - NID Request		Alpha	1-1	Y, N	<p>1. If populated and TACT ≠ N, then return error: FTRDDPS130 NIDR IS PROHIBITED FOR TACT</p> <p>2. If populated and vv ≠ Y, N, then return error: FTRDDPS131 NIDR VALID VALUE = Y, N</p>	O
063	ECCKT - Exchange Company Circuit ID		A/N Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule	1-41		<p>1. If populated and dc = virgule and (preceding position ≠ numeric or following position ≠ numeric), then return error: FTRDDPS132 ECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC</p> <p>2. If populated and (dl > 41 or dc ≠ alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: FTRDDPS133 ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE</p>	O
064	RL - Reuse Loop		A	1-1	Y	1. If not populated and TACT = V and OECKT is populated, then return error: FTRDDPS134 RL IS REQUIRED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						<p>2. If populated and (TACT ≠ V or OECCKT is not populated), then return error: FTRDDPS135 RL IS PROHIBITED</p> <p>3. If populated and vv ≠ Y, then return error: FTRDDPS136 RL VALID VALUE = Y</p>	
065	OECCKT - Out Exchange Company Circuit ID		A/N	10-41		<p>1. If not populated and RL is populated, then return error: FTRDDPS137 OECCKT IS REQUIRED WHEN RL IS POPULATED</p> <p>2. If populated and RL is not populated, then return error: FTRDDPS138 OECCKT IS PROHIBITED WHEN RL IS NOT POPULATED</p> <p>3. If populated and (dl < 10 or > 41), then return error: FTRDDPS139 OECCKT VALID LENGTH = 10-41</p>	O
066	CKR - Customer Circuit Reference		A/N Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent, Plus	1-41		<p>1. If populated and dc = virgule and (preceding position ≠ numeric or following position ≠ numeric), then return error: FTRDDPS140 CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC</p> <p>2. If populated and (dl > 41 or dc ≠ alpha, numeric, Ampersand, Apostrophe, Asterisk, Parenthesis, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Percent,</p>	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
			Sign, Quote, Semicolon, Space, Period, Virgule			Plus Sign, Quote, Semicolon, Space, Period, Virgule), then return error: FTRDDPS141 CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE	
067	CFA - Connecting Facility Assignment	Do Not Map				NOT SUPPORTED BY FTR	
068	CCEA - Cross Connect Equipment Assignment	Do Not Map				NOT SUPPORTED BY FTR	
069	FPI - Freeze PIC Indicator		A	1-1	A, B, E, R, S, T	1. If populated and vv = R, S, T and (TACT or TNA = N), then return error: FTRDDPS142 FPI VALID VALUE = A, B, E WHEN TACT OR TNA = N 2. If populated and vv ≠ A, B, E, R, S, T, then return error: FTRDDPS143 FPI VALID VALUE = A, B, E, R, S, T	O
070	PIC - InterLATA Pre-subscription Indicator Code		A/N	2-4	NNNN = Valid PIC Code NONE, NC, NA	1. If not populated and TACT = N, P, V and TTP = C, D, E, F, then return error: FTRDDPS144 PIC IS REQUIRED 2. If populated and vv ≠ NONE, NC, NA and (dl ≠ 4 or dc ≠ numeric), then return error: FTRDDPS145 PIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC	O
071	LPIC - IntraLATA Pre-subscription Indicator Code		A/N	2-4	NNNN = Valid LPIC Code NONE, NC, NA	1. If not populated and TACT = N, P, V and TTP = C, D, E, F, then return error: FTRDDPS146 LPIC IS REQUIRED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						2. If populated and vv ≠ NONE, NC, NA and (dl ≠ 4 or dc ≠ numeric), then return error: FTRDDPS147 LPIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC	
072	IPIC - International Pre-subscription Indicator Code	Do Not Map				NOT SUPPORTED BY FTR	
FEATURES{							
073	LOCNUM - Location Number	Do Not Map				NOT SUPPORTED BY FTR	
074	RNUM - Reference Number	Do Not Map				NOT SUPPORTED BY FTR	
075	FA - Feature Activity		A	1-1	N, C, D, V	<p>1. If populated and TACT ≠ N, C, V, then return error: FTRDDPS148 FA IS PROHIBITED FOR TACT</p> <p>2. If populated and vv ≠ N and TACT = N, then return error: FTRDDPS149 FA VALID VALUE = N FOR TACT</p> <p>3. If populated and vv ≠ N, V and TACT = V, then return error: FTRDDPS150 FA VALID VALUE = N, V FOR TACT</p> <p>4. If populated and vv ≠ N, C, D and TACT = C, then return error: FTRDDPS151 FA VALID VALUE = N, C, D FOR TACT</p>	O
076	FEATURE - Feature Codes		A/N	1-6		1. If populated and FA is not populated, then return error: FTRDDPS152 FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						2. If populated and (dl > 6 or dc ≠ alpha, numeric), then return error: FTRDDPS153 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC	
077	FEATURE_DETAIL - Feature Detail		A/N Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parenthesis, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule	1-200		1. If populated and FEATURE is not populated, then return error: FTRDDPS154 FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED 2. If populated and dc = virgule and (preceding position ≠ numeric or following position ≠ numeric), then return error: FTRDDPS155 FEATURE DETAIL VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC 3. If populated and (dl > 200 or dc ≠ alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon, space, virgule, then return error: FTRDDPS156 FEATRDRE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS,	O

Field Number	Field Name	Mapping Rule	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/O/P
						SEMICOLON, SPACE, VIRGULE	
}}}							
REMARKS_INFO{							
086	REMARKS - Remarks	Do Not Map				NOT SUPPORTED BY FTR	
}							

APPENDIX A – ERROR MESSAGE TABLE

Error Message Number	Error Message Text
FTRDDPS001	COMMQ IS REQUIRED FOR ACT
FTRDDPS002	COMMQ VALID VALUE = 2 NUMERIC
FTRDDPS003	LOCNUM IS REQUIRED
FTRDDPS004	LOCNUM VALID VALUE = 1-3 NUMERIC
FTRDDPS005	RNUM IS REQUIRED WHEN COMMQ IS POPULATED
FTRDDPS006	RNUM IS PROHIBITED WHEN COMMQ IS NOT POPULATED
FTRDDPS007	RNUM VALID VALUE = 1-4 NUMERIC
FTRDDPS008	AD IS REQUIRED WHEN COMMQ IS POPULATED
FTRDDPS009	AD VALID VALUE = A, B, C
FTRDDPS010	TNSGQ IS REQUIRED FOR AD
FTRDDPS011	TNSGQ IS PROHIBITED FOR AD
FTRDDPS012	TNSGQ VALID VALUE = 2 NUMERIC
FTRDDPS013	TKGQ IS REQUIRED FOR AD
FTRDDPS014	TKGQ IS PROHIBITED FOR AD
FTRDDPS015	TKGQ VALID VALUE = 2 NUMERIC
FTRDDPS016	NPI IS REQUIRED FOR NPDI
FTRDDPS017	NPI IS PROHIBITED FOR NPDI
FTRDDPS018	NPI VALID VALUE = E FOR NPDI
FTRDDPS019	NPI VALID VALUE = C, E, F
FTRDDPS020	TC OPT IS REQUIRED FOR TNA
FTRDDPS021	TC OPT IS PROHIBITED FOR TNA
FTRDDPS022	TC OPT VALID VALUE = N, S, T
FTRDDPS023	TC TO PRI IS REQUIRED FOR TC OPT
FTRDDPS024	TC TO PRI IS PROHIBITED FOR TC OPT
FTRDDPS025	TC TO PRI VALID VALUE = 10 NUMERIC
FTRDDPS026	TCID IS REQUIRED FOR TC OPT
FTRDDPS027	TCID IS PROHIBITED FOR TC OPT
FTRDDPS028	TCID VALID VALUE = 1-2 NUMERIC
FTRDDPS029	TC NAME IS REQUIRED FOR TC OPT
FTRDDPS030	TC NAME IS PROHIBITED FOR TC OPT
FTRDDPS031	TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE

FTRDDPS032	TC TO SEC IS REQUIRED FOR TC OPT
FTRDDPS033	TC TO SEC IS PROHIBITED FOR TC OPT
FTRDDPS034	TC TO SEC VALID VALUE = 10 NUMERIC
FTRDDPS035	TCID 2 IS REQUIRED FOR TC OPT
FTRDDPS036	TCID 2 IS PROHIBITED FOR TC OPT
FTRDDPS037	TCID 2 VALID VALUE = 1-2 NUMERIC
FTRDDPS038	TC NAME 2 IS REQUIRED FOR TC OPT
FTRDDPS039	TC NAME 2 IS PROHIBITED FOR TC OPT
FTRDDPS040	TC NAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
FTRDDPS041	TC PER IS PROHIBITED
FTRDDPS042	TC PER MUST BE GREATER THAN DDD
FTRDDPS043	TC PER VALID FORMAT = CCYYMMDD
FTRDDPS044	RNUM IS REQUIRED FOR AD
FTRDDPS045	RNUM IS PROHIBITED FOR AD
FTRDDPS046	RNUM VALID VALUE = 1-4 NUMERIC
FTRDDPS047	TNA IS REQUIRED FOR AD
FTRDDPS048	TNA IS PROHIBITED FOR AD
FTRDDPS049	TNA VALID VALUE = C, N, D, X FOR ACT
FTRDDPS050	TNA VALID VALUE = N FOR ACT
FTRDDPS051	TNA VALID VALUE = D FOR ACT
FTRDDPS052	TNA VALID VALUE = N, V, D FOR ACT
FTRDDPS053	TNA VALID VALUE = C, D, N, V, W, X
FTRDDPS054	QN IS REQUIRED WHEN TNA IS POPULATED
FTRDDPS055	QN IS PROHIBITED WHEN TNA IS NOT POPULATED
FTRDDPS056	QN VALID VALUE = 1-4 NUMERIC
FTRDDPS057	CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
FTRDDPS058	CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
FTRDDPS059	TNS IS REQUIRED WHEN TNA IS POPULATED
FTRDDPS060	TNS IS PROHIBITED WHEN TNA IS NOT POPULATED
FTRDDPS061	TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA
FTRDDPS062	OTNS IS REQUIRED FOR TNA
FTRDDPS063	OTNS IS PROHIBITED FOR TNA
FTRDDPS064	OTNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA

FTRDDPS065	TGN VALID VALUE = 3-4 NUMERIC
FTRDDPS066	RIN VALID VALUE = 3-10 NUMERIC
FTRDDPS067	BA VALID VALUE = A FOR TNA
FTRDDPS068	BA VALID VALUE = A, D, E, N
FTRDDPS069	BLOCK IS REQUIRED FOR BA
FTRDDPS070	BLOCK IS PROHIBITED FOR BA
FTRDDPS071	BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC
FTRDDPS072	FA IS PROHIBITED FOR TNA
FTRDDPS073	FA VALID VALUE = N FOR TNA
FTRDDPS074	FA VALID VALUE = N, V FOR TNA
FTRDDPS075	FA VALID VALUE = N, C, D FOR TNA
FTRDDPS076	FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED
FTRDDPS077	FEATURE IS REQUIRED WHEN FA IS POPULATED
FTRDDPS078	FEATURE VALID VALUE 1-6 ALPHA, NUMERIC
FTRDDPS079	FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED
FTRDDPS080	FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE
FTRDDPS081	RNUM IS REQUIRED FOR AD
FTRDDPS082	RNUM IS PROHIBITED FOR AD
FTRDDPS083	RNUM VALID VALUE = 1-4 NUMERIC
FTRDDPS084	TACT IS REQUIRED FOR AD
FTRDDPS085	TACT IS PROHIBITED FOR AD
FTRDDPS086	TACT VALID VALUE = C, N, D, P, X FOR ACT
FTRDDPS087	TACT VALID VALUE = N FOR ACT
FTRDDPS088	TACT VALID VALUE = D FOR ACT
FTRDDPS089	TACT VALID VALUE = N, V, D FOR ACT
FTRDDPS090	TACT VALID VALUE = C, D, N, P, V, W, X
FTRDDPS091	TERS VALID VALUE = 1-10 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA
FTRDDPS092	TKQ IS REQUIRED WHEN TACT IS POPULATED
FTRDDPS093	TKQ IS PROHIBITED WHEN TACT IS NOT POPULATED
FTRDDPS094	TKQ VALID VALUE = 1-4 NUMERIC
FTRDDPS095	TNS IS REQUIRED FOR TTP
FTRDDPS096	TNS IS PROHIBITED FOR TTP
FTRDDPS097	TNS VALID VALUE = 1-15 ALPHA, NUMERIC, HYPHEN, SPACE, SEMI COLON, COMMA
FTRDDPS098	TSP VALID FORMAT = XXXXXXXX-XX

FTRDDPS099	TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5
FTRDDPS100	TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5
FTRDDPS101	OTN IS REQUIRED FOR TACT
FTRDDPS102	OTN IS PROHIBITED FOR TACT
FTRDDPS103	OTN VALID VALUE = 10 NUMERIC
FTRDDPS104	LTLI IS REQUIRED FOR TTP
FTRDDPS105	LTLI VALID VALUE = N OR 10 NUMERIC
FTRDDPS106	TGN VALID VALUE = 3-4 NUMERIC
FTRDDPS107	RIN VALID VALUE = 3-10 NUMERIC
FTRDDPS108	TKIND VALID LENGTH = 1-10
FTRDDPS109	DO IS PROHIBITED WHEN TACT IS NOT POPULATED
FTRDDPS110	DO VALID VALUE = 2 NUMERIC
FTRDDPS111	PULSE IS REQUIRED FOR TTP
FTRDDPS112	PULSE VALID VALUE = DP, MF, DTMF
FTRDDPS113	SSIG IS REQUIRED FOR TTP
FTRDDPS114	SSIG VALID VALUE = LS, GS, WS, DD, IM
FTRDDPS115	TTP IS REQUIRED WHEN TACT IS POPULATED
FTRDDPS116	TTP IS PROHIBITED WHEN TACT IS NOT POPULATED
FTRDDPS117	TTP VALID VALUE = A, B, C, D, E, F
FTRDDPS118	BA VALID VALUE = A FOR TACT
FTRDDPS119	BA VALID VALUE = A, D, E, N
FTRDDPS120	BLOCK IS REQUIRED FOR BA
FTRDDPS121	BLOCK IS PROHIBITED FOR BA
FTRDDPS122	BLOCK VALID VALUE = 1-16 ALPHA, NUMERIC
FTRDDPS123	LSCP IS PROHIBITED FOR STATE
FTRDDPS124	LSCP VALID VALUE = A, B
FTRDDPS125	IWJK IS PROHIBITED
FTRDDPS126	IWJK VALID VALUE = 1-5 ALPHA, NUMERIC
FTRDDPS127	IWJQ IS REQUIRED WHEN IWJK IS POPULATED
FTRDDPS128	IWJQ IS PROHIBITED WHEN IWJK IS NOT POPULATED
FTRDDPS129	IWJQ VALID VALUE = 2 NUMERIC
FTRDDPS130	NIDR IS PROHIBITED FOR TACT
FTRDDPS131	NIDR VALID VALUE = Y, N
FTRDDPS132	ECCKT VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
FTRDDPS133	ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN,

	QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
FTRDDPS134	RL IS REQUIRED
FTRDDPS135	RL IS PROHIBITED
FTRDDPS136	RL VALID VALUE = Y
FTRDDPS137	OECCKT IS REQUIRED WHEN RL IS POPULATED
FTRDDPS138	OECCKT IS PROHIBITED WHEN RL IS NOT POPULATED
FTRDDPS139	OECCKT VALID LENGTH = 10-41
FTRDDPS140	CKR VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
FTRDDPS141	CKR VALID VALUE = 1-41 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, PARENTHESIS, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PERCENT, PLUS SIGN, QUOTE, SEMICOLON, SPACE, PERIOD, VIRGULE
FTRDDPS142	FPI VALID VALUE = A, B, E WHEN TACT OR TNA = N
FTRDDPS143	FPI VALID VALUE = A, B, E, R, S, T
FTRDDPS144	PIC IS REQUIRED
FTRDDPS145	PIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC
FTRDDPS146	LPIC IS REQUIRED
FTRDDPS147	LPIC VALID VALUE = NONE, NC, NA OR 4 NUMERIC
FTRDDPS148	FA IS PROHIBITED FOR TACT
FTRDDPS149	FA VALID VALUE = N FOR TACT
FTRDDPS150	FA VALID VALUE = N, V FOR TACT
FTRDDPS151	FA VALID VALUE = N, C, D FOR TACT
FTRDDPS152	FEATURE IS PROHIBITED WHEN FA IS NOT POPULATED
FTRDDPS153	FEATURE VALID VALUE 1-6 ALPHA, NUMERIC
FTRDDPS154	FEATURE DETAIL IS PROHIBITED WHEN FEATURE IS NOT POPULATED
FTRDDPS155	FEATURE DETAIL VIRGULE MUST BE PRECEDED AND FOLLOWED BY NUMERIC
FTRDDPS156	FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE
FTRDDPS157	
FTRDDPS158	
FTRDDPS159	
FTRDDPS160	
FTRDDPS161	
FTRDDPS162	
FTRDDPS163	
FTRDDPS164	

FTRDDPS165	
FTRDDPS166	
FTRDDPS167	
FTRDDPS168	
FTRDDPS169	
FTRDDPS170	
FTRDDPS171	
FTRDDPS172	
FTRDDPS173	
FTRDDPS174	
FTRDDPS175	

